

### Simplicity Meets Portability

A portable Bluetooth mouse that works wherever you do with instant, seamless connectivity to up to three devices. Plus, program up to six buttons with app-specific functions and your favorite shortcuts to simplify your workflow. Made for you and whatever it is you do.



#### \*Product image may differ from actual product




#### Performance. Simplified.

This Bluetooth mouse delivers portable performance wherever you go. Enjoy high sensitivity (4000 dpi) and the freedom to track on virtually any surface<sup>1</sup>. You'll get up to 24 months of battery life<sup>2</sup> from one AA battery and with quiet clicking, you can work confidently, anywhere.



#### Move. Connect. Work. Repeat.

Regardless of what device or OS you use<sup>3</sup>, stay connected to up to three devices with just one mouse. Work seamlessly wherever you go with instant, dongle-free, connection via low-energy Bluetooth 5.3 and Microsoft Swift Pair.



Customize your mouse to how you work best. Simply download the HP Accessory Center app and you'll be able to program six buttons<sup>4</sup> to your workflow and maximize productivity. A 4-D tilt wheel delivers effortless horizontal scrolling.



### Designed with the Planet in Mind

Designed without compromise, this slim, sleek and lightweight mouse provides all day, everyday comfort with its light weight and rubber side grips. Plus, you can feel good about your mouse, as it contains 50% post-consumer recycled materials<sup>5</sup>, and comes in recyclable packaging<sup>5</sup>.

#### Quieter Clicks

With its quiet click feature, you can create a peaceful wherever workspace while reducing distractions and without disturbing others.

#### **Bluetooth Swift Pair Connectivity**

Connect quickly and easily to almost any device. With Microsoft Swift Pair and Bluetooth®, avoid having to navigate the settings menu.

#### Enhanced 4-way Scrolling

Perfect for viewing wide documents or Web pages, the customizable 4-way tilt wheel provides left/right and up/down scrolling, as well as programmable features.<sup>4</sup>

#### All Day, Everyday Comfort

This sleek, lightweight mouse with rubber side grips delivers everyday comfort and precision, even after long hours of use.







UP cond99/98/28/28Restoring99/98/28/28Restoring98/98/08Restoring98/98/18Restoring98/98/18Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Restoring98/98/08Re	Product number	7M1D5AA
Batestheison5.3WreisongUp 10 10 in upper lancest ars 7Betry decytion1.4.AStates y leftUp 9.2.4 north 1States statest are s	UPC number	197192652282
NetworkingUp to 10 In trapenancy (bp to 2.01 R chargen ane ABattery decUp to 30 Annota 1Sterry decUp to 30 Annota 1Sterry decUp to 300 GSterry dec300 GAtter sterry dec300 GAtter sterry dec7Program de Latter sterry dec1Noraci de Latter sterry dec1Accord car Man de Latter sterry dec1Noraci de Latter sterry de1Noraci de Latter sterry de Latter sterry de1Noraci de Latter sterry de1Noraci de Latter sterry de Latter sterry de1Noraci de Latter sterry de Latter sterry de1Noraci de Latter sterry de Latter sterry de Latter sterry de1Noraci de Latter sterry de1Noraci de Latter ster	Connection type	Bluetooth®
Retry drotytion     1. AA       Battery factory file     Up 0. 24 rounds 1       Senser texturds     0. 00 dp       Marcen State Senser texturds     0. 00 dp       Senser Senser texturds     1. Marcen Senser       Marcen Senser texturds     1. Marcen Senser texturds       Marcen Senser Sen	Bluetooth version	53
BatesyleUp b2 AnsatusSeries traktorizyMais surfare taxingSeries traktorizyMais surfare taxingSeries traktorizy400 dp dSeries traktorizy400 dp dSeries traktorizy400 dp dSeries traktorizy7Operande taxing0Anacci scol anded11 subcitMarced scol anded11 subcitMarced scol anded11 subcitMarced scol anded12 subcitPost col anded12 subcitWards in the los and inflation surfar of anderPost col and con spati first subcit12 subcitWards in the los and constant12 subcitMards in the los and constant12 subcit <td>Wireless range</td> <td>Up to 10 m in open area; Up to 32.81 ft in open area <sup>2</sup></td>	Wireless range	Up to 10 m in open area; Up to 32.81 ft in open area <sup>2</sup>
Senser technologyMit surface tectoringSenser technologyUp is dood gisSenser technology4000 gisSenser technology7Poogeneits kutters6.3Advereit sortil whethHit whethIndexer tigthRetry, Charvel LSDKoncel sortil whethHit whethIndexer tigthRetry, Charvel LSDSenser whethAdvereit sortil whethIndexer tigthRetry, Charvel LSDSenser technologyAdvereit sortil whethIndexer tigthRetry, Charvel LSDSenser technologyRetry, Charvel LSDSenser technologyRetry, Charvel LSDRetryRetry, Charvel LSD, Charvel LSDRetryRetry, Charvel LSD, Charv	Battery description	1 x AA
Senser resolutionis b 4000 giSenser resolution4000 giSenser resolution4000 giSuttors7Pogramole tuttiss6.1Reson resolutionTit abelReson resolutionRestrop Connect EDDSolutionRestrop Connect EDDPoduct oforRestrop Connect EDDPoduct of Top EDDRestrop Connect EDD <t< td=""><td>Battery life</td><td>Up to 24 months <sup>1</sup></td></t<>	Battery life	Up to 24 months <sup>1</sup>
Serior norind value400 0 0Buttos7Regenative buttors6Adveced strik buttors6Adveced strik buttors11 al velRedenative buttors11 al velRedenativ	Sensor technology	Multi surface tracking
Bitos     7       Program     9       Adverd scol wheel     9       Adverd scol wheel     11 wheel       Adverd scol wheel     11 wheel       Adverd scol wheel     12       Adverd scol wheel     12       Scol wheel     12       Adverd scol wheel     12       Adverd scol wheel     12       Scol wheel     12       Adverd scol wheel     12       Scol wheel	Sensor resolution	Up to 4000 dpi
Programshie buttors     6 <sup>3</sup> Advanced scroll wheel     Httesel       Mackader light     Battery, Channel LED       Security     Advanced Mattery       Product clark     Battery, Channel LED       Security     Advanced Mattery       Mackader light     Battery, Channel LED       Security     Advanced Mattery       Mackader schware     Mackader Schware       Comparabile operating schware     Mackader Dery and Findel Schware       Comparabile operating schware     Mackader Dery and Findel Schware       Comparabile operating schware     Mackader Dery and Findel Schware       Carlifications and compliances     Filde Schware Net Schware Net Schware Net Schware       Variation     Mackader Dery and Filde Net Schware Net Sc	Sensor nominal value	4000 dpi
Advanced scrult wheek     It like ele       Indicator light     Edites (Channel LED)       Securety     AES 12Bb securyotion       Product cight     Edites (Channel LED)       Securety Software     PA Accessory Center Software       Compatible operating systems     Windows 10, macDS, Channel DS       System Requirements, Maining     Busconth       Contrastion operating systems     Windows 10, macDS, Channel DS       System Requirements, Maining     Busconth       Contrastion operating systems     Windows 10, macDS, Channel DS       System Requirements, Maining     Busconth       Contrastion operating systems     Windows 10, macDS, Channel DS       System Requirements, Maining     Busconth       Contrastion operating systems     Windows 10, macDS, Show TON, Edit, Show T	Buttons	7
Indicator light     Battery, Charmel LED       Security     AS 128 bits encryption       Product cloir     Back       Management Software     HP Accessory Center Software       Compatible operating systems     Windows 11, windows 10, mac/DS; OromeOS       System Requirements, Minnum     Buschonth       Gentration compatible operating systems     Windows 11, windows 10, mac/DS; OromeOS       Varianty     HP Accessory Center Software       Centrations and compliances     Specifier Software       Varianty     HP Accessory Center Software       Windows name operating systems     Windows name of the Software CENTRE, ICOSA, UKCA, KCC, UCC, CAC, WRT, RATEL, FETEL, AMTEL, Teles, SUBTEL, CONTEL, RANE, LED, RCC, SRE, SIGM, TRR, EAC, MCC, TRC, ICOSA, UKCA, KCC, UCC, CAC, WRT, RATEL, FETEL, AMTEL, Teles, SUBTEL, CONTEL, RANE, LED, RCC, SRE, SIGM, TRR, EAC, MCC, TRC, ICOSA, UKCA, KCC, UCC, CAC, WRT, RATEL, FETEL, AMTEL, Teles, SUBTEL, CONTEL, RANE, UCC, SRE, SIGM, TRR, EAC, MCC, TRC, ICOSA, UKCA, KCC, UCC, CA, WRT, RATEL, TEL, CA, MCE, TRANE, Teles, SUBTEL, CONTEL, RANE, VECES, SRE, SIGM, TRR, EAC, MCC, TRC, ICOSA, UKCA, KCC, UCC, CAC, WRT, RATEL, TELE, SUBTEL, CONTEL, RANE, VECES, SRE, SIGM, TRR, EAC, MCC, TRC, ICOSA, UKCA, KCC, UCC, CA, WRT, RATEL, FETEL, AMTEL, Teles, SUBTEL, CONTEL, RANE, VECES, WARE, STR, TR, TAR, TRR, EAC, MCC, TRC, ICOSA, UKCA, KCC, UCC, CAC, WRT, RATEL, TELE, STR, TC, SRE, STR, TRR, EAC, MCC, TRC, ICOSA, UKCA, KCC, UCC, CAC, WRT, RATEL, TELE, STR, TAR, TRR, EAC, MCC, TRR, ICOSA, WARE, TAR, TRR, EAC, MCC, TRR, ICOSA, WARE, TAR, TRR, EAC, MCC,	Programable buttons	63
Security     AES 128 bits encryption       Product color     Back       Management software     HPAcessory Center Software       Compabile operating systems     Windows 11; Windows 10; mail.CS CommoDS       System Requirements, Minnum     Bluetooth*       Versenty     HP standard one-year Limited warranty 4       Versenty     HP standard one-year Limited warranty 4       Versenty     HP standard one-year Limited warranty 4       Versenty     RED RTP constructions of CE RTC: REN, WPC WES, SDPR NC: INDA SERV, ISBN NC SRC SIRM, TRA EAC MAC, XCC, VCC, NART, ATEL, FETEL, NAMEL, Teles, CUBERT, MONA, USA, WES, SDPR NC: INDA SERV, SRC SIRM, TRA EAC MAC, XCC, VCC, NART, ATEL, Teles, SUBERT, SDR SERV, SRR S	Advanced scroll wheel	Tilt wheel
Product color     Bake       Management software     HP Accessory Center Software       Compatible operating systems     Windows 110, macOS, ChromoDS       System Regulaments, Minimum     Buskoth <sup>2</sup> Varanty     HP Standad one-year Limited warranty <sup>4</sup> Certifications and compliances     EGE ERCE, Chich, MPTC, VPC, SOPPI, INTC, MDA, SSMN, NCA, SKRC, VCC, INCA, ANCT, CNC, ANCT, ANTEL, FRETEL, ANATEL, FRET	Indicator light	Battery; Channel LED
Maragement softwareIP Accessory Center SoftwareCompatible operating systemsWindows 11, Windows 10, macDS, ChroneOSSystem Requirements, MinimumBuetostheVarantyBuetostheCertifications and compliancesCFC GR CER DEW MITCL WOL SDEW, INCL SARE, SRIM, TRA, EAC, MCC, TRC, ICASA, UNCA, KCC, VCC, UNC, ANRT, RATEL, IFETEL, ANATEL, Teler, SUBTEL, COWATEL, Rohr, UNSSERRO, CITQUAT, NOM, NELT, Wards's in the boxWards's in the boxWindess monophila and state stat	Security	AES 128 bits encryption
Compatible operating systems     Windows 11, Windows 10, macOS, ChromedS       System Requirements, Minimum     Bluetooth®       Veranty     IP standard one-year limited warrany 4       Certifications and compliances     ESB, FCC, ROM, MPCL, WCC, SDRD, STRM, TRA, EAC, MoC, TRC, ICASA, UKCA, KCC, VCC, CNC, ANRT, RATEL, FETEL, ANATEL, TeteC, SUBTEL, CONTEL, RATS, UKCS, STRD, TRA, EAC, MoC, TRC, ICASA, UKCA, KCC, VCC, CNC, ANRT, RATEL, FETEL, ANATEL, TeteC, SUBTEL, CONTEL, RATS, UKCS, STRD, STRM, TRA, EAC, MoC, TRC, ICASA, UKCA, KCC, VCC, CNC, ANRT, RATEL, FETEL, ANATEL, TeteC, SUBTEL, CONTEL, RATS, UKCS, STRD, STRM, TRA, EAC, MoC, TRC, ICASA, UKCA, KCC, VCC, CNC, ANRT, RATEL, FETEL, ANATEL, TeteC, SUBTEL, CONTEL, RATS, UKCS, STRD, STRM, TRA, EAC, MoC, TRC, ICASA, UKCA, KCC, VCC, CNC, ANRT, RATEL, FETEL, ANATEL, TeteC, SUBTEL, CONTEL, RATS, UKCS, STRD, STRM, TRA, EAC, MoC, TRC, ICASA, UKCA, KCC, VCC, CNC, ANRT, RATEL, FETEL, ANATEL, TeteC, SUBTEL, CONTEL, RATS, UKCS, STRD, STRM, TRA, EAC, MoC, TRC, ICASA, UKCA, KCC, VCC, CNC, ANRT, RATEL, FETEL, ANATEL, TENC, SUBTEL, CONTEL, RATS, UKCS, STRD, STRM, TRA, EAC, MoC, TRC, ICASA, UKCA, KCC, VCC, CNC, ANRT, RATEL, FETEL, ANATEL, TENC, SUBTEL, CONTEL, RATS, UKCS, STRD, STRM, TRA, EAC, MoC, TRC, ICASA, UKCA, KCC, VCC, CNC, ANRT, RATEL, FETEL, ANATEL, TENC, SUBTEL, CONTEL, RATS, UKCS, STRD, STRM, TRA, EAC, MOC, TRC, ICASA, UKCA, KCC, VCC, CNC, ANRT, RATEL, FETEL, ANATEL, TENC, SUBSEL, CONTEL, RATS, UKCS, STRD, STRM, TRA, EAC, MOC, TRC, ICASA, UKCA, KCC, VCC, CNC, ANRT, RATEL, FETEL, ANATEL, TENCS, STRD, STR, STRM, TRA, EAC, MOC, TRC, ICASA, UKCA, KCC, VCC, CNC, ANRT, RATEL, FETE, ANATEL, TENCS, STRD, STR, STR, STR, STRM, TRA, EAC, MOC, TRC, ICASA, UKCA, KCC, VCC, CNC, ANRT, RATEL, FERE, STRD, STR, STR, STR, STR, STR, STR, STRM, STR, STR, STR, STRR, STRM, STR, STR, STR, STR, STRRM, STR, STRM, STR, STRRM, STR, ST	Product color	Black
System Requirements, MinimumBustooth*WarantyHP standard one-year limited waranty ICertifications and compliancesCE: CB: FCR. RDM. MTCY. WC: SDPPK. INCLIGNER, SSMI, MCC: SRRC, SRM, TRA; EAC, MCC, TRC, ICASA; UKCA; KCC, VCC, CNC, ANRT, RATEL; TERE; SUBTEL; CONATEL; Rohs; UK/SSPRC); CITagatar, NDM, NBTC; PAPR Reyck Mark, WEEE C. FCR, Timan; ICI D #FWhat's in the boxVirieles mouze I XA Databery Duck start guide Waranty and RED. RTF cardCountry of originPoduct of ChinaDimensions (W XD XH)43 x 2.4 x 1.5 inWedght0.2 lbPackage dimensions (W xD XH)45 x 1.81 x 5 in;Package dimensions (W XD XH)45 x 3.8 x 1.33 x 1.13 x 1Nater carton dimensions (W XD XH)95 x 3.45 x 2.8 g cm: 13.49 x 13.58 x 11.38 inMaster carton dimensions (W XD XH)95 x 3.45 x 2.8 g cm: 13.49 x 13.58 x 11.38 inMaster carton dimensions (W XD XH)13.54 lb; C14 kgCarton prealet6Carton prealet42Carton prealet42Package prealet2520Package prealet2520Fackage prealet60.19 lb;Fackage prealet60.19	Management software	HP Accessory Center Software
VerantyHP standard one-year limited warrany 4Certifications and compliancesEC; EC; EC; CC; CMC, MPC; WPC; SDPPC, NTC; MDA; ESME, NCC; SRRC; SRRM; TRA; EAC; MOC; TRC; ICASA; UKCA; KCC; VCC; CNC; ANRT; RATEL; IFETEL; ANATEL; Table; SUBTEL; CDNATEL; Rohr;, UKrSEPRO;, ICTpater; NDM; NDK; Marker start public Dark start public Product of ChinaWhat's in the boxWireless mouse Aparts Bark and you and RED, RTF and R	Compatible operating systems	Windows 11; Windows 10; mac0S; Chrome0S
Certifications and compilancesCE: CB: FCC: ROM, MPTC, WPC: SDPPI; NTC, MDA; BSMI; NCC. SRRC; SIRIM; TRA; EAC, MoC; TRC; ICASA; UKCA; KCC; VCC; CNC; ANRT; RATEL; IFETEL; ANATEL; Tetec; SUBTEL; CONATEL; Robr; UK:SEPRO; ICTqatar; NOM, NBTC; MPA Rezycite Maik WEEEE, CTIRE: Trimmar; IC D RFWals in the boxWitessen mouse 1 x AA hattery Ouck start guide Warranty card RED, RTF cardCountry of riginProduct of OnnaDimensions Wx Dx HI4.3 x 24 x 1.5 inVeight0.2 lbPadage dimensions (W xD xH)4.5 x 1.81 x 5 in;Padage weight0.2 lb;Rater carton quantity6.0Master carton quantity6.0Master carton quantity6.0Garton prepalet9.5 x 34.5 x 28.9 cm; 19.49 x 13.58 x 11.38 inMaster carton quantity6.0Patel Usersion7Carton prepalet2.0Patel Usersion7Carton prepalet2.00Patel Usersion3.60Patel Usersion <th< td=""><td>System Requirements, Minimum</td><td>Bluetooth®</td></th<>	System Requirements, Minimum	Bluetooth®
Carting and Companies     PAP Recycle Mark, WEEE; C-Trick; Triman; ICID RF       What's in the box     Watk sets mouse LXA battery Waranty card RED. RTF card       Country of rigin     Product of China       Dimensions (W x D x H)     4.3 x 2.4 x 1.5 in       Velopit     0.2 lb       Package dimensions (W x D x H)     4.55 x 1.81 x 5 in;       Package weight     0.2 lb       Restant of mensions (W x D x H)     4.55 x 1.81 x 5 in;       Package weight     0.2 lb       Restant of mensions (W x D x H)     4.55 x 1.81 x 5 in;       Package weight     0.2 lb       Restant of mensions (W x D x H)     4.55 x 1.81 x 5 in;       Package weight     0.2 lb;       Master carton quantity     6.0       Asster carton weight     13.54 bit; 6.1 klg       Carton per layer     6.1       Package weight     2.2 co       Package set on using the set on using t	Warranty	HP standard one-year limited warranty <sup>4</sup>
Wats in the boxJAA Abatery Warranty card Warranty card Warranty card Warranty card Warranty card Warranty card Warranty card Warranty card Podut of ChinaContry of originProduct of ChinaDimensions (W x D x H)4.3 x 2.4 x 1.5 inVedght0.2 lbPackage dimensions (W x D x H)4.5 x 1.81 x 5 in;Package dimensions (W x D x H)0.2 lbMaster carton quantity0.0 lbMaster carton quantity0.4 s 2.5 x 3.5 x 2.8 g cm; 19.49 x 13.58 x 11.38 inMaster carton weight3.5 4 lb; 6.14 kgCarton per layer6Package per layer0.3 c 3.5 k 3.5 x 2.8 g cm; 19.49 x 13.58 x 11.38 inPater Layers)7Pater Layers)7Package per layer3.6 d 3.5 k 3.5 x 2.8 g cm; 19.49 x 13.58 x 11.38 inPater Layers)6Pater Layers)6Pater Layers)6.0Pater Layers)5.0 c 3.5 k 3.5 x 2.8 g cm; 19.49 x 13.58 x 11.38 inPater Layers)5.0 c 3.5 k 3.5 x 2.8 g cm; 19.49 x 13.58 x 11.38 inPater Layers)6.0 c 3.5 k 3.5 x 2.8 g cm; 19.49 x 13.58 x 11.38 inPater Layers)6.0 c 3.5 k 3.5 x 2.8 g cm; 19.49 x 13.58 x 11.38 inPater Layers)7Pater Layers)6.0 c 3.5 k 3.5 x 2.8 g cm; 19.49 x 13.58 x 13.58 x 2.5 k 3.5 k	Certifications and compliances	CE; CB; FCC; RCM; MPTC; WPC; SDPPI; NTC; IMDA; BSMI; NCC; SRRC; SIRIM; TRA; EAC; MoC; TRC; ICASA; UKCA; KCC; VCCI; CNC; ANRT; RATEL; IFETEL; ANATEL; Telec; SUBTEL; CONATEL; Rohs; UkrSEPRO; iCTqatar; NOM; NBTC; PAP Recycle Mark; WEEE; C-Tick; Triman; IC ID RF
Dimensions (Wx Dx H)43x24x1.5 inWeight0.2 bPackage dimensions (Wx Dx H)425x1.81x5.5 in;Package weight0.2 b;Master action quantity0.6Master action weight9.5 x4.5 x2.8.9 cm; 19.49 x1.3.5 & x11.3.8 inMaster action weight13.54 b; 6.14 kgCarton per Javer6Palet (Javers)7Package flager3.0Products per Javer50Package mellet2.0Palet Mager50Palet Weight6.0Differentiet5.0Palet Weight6.0Differentiet6.0Palet Weight6.0Differentiet6.0Palet Weight6.0Differentiet6.0Palet Weight6.0Differentiet6.0Palet Weight6.0Differentiet6.0Palet Weight6.0Differentiet6.0Palet Weight6.0Differentiet6.0Differentiet6.0Differentiet6.0Differentiet6.0Differentiet6.0Differentiet6.0Differentiet6.0Differentiet6.0Differentiet6.0Differentiet6.0Differentiet6.0Differentiet6.0Differentiet6.0Differentiet6.0Differentiet6.0Differentiet6.0Differentiet6.0Dif	What's in the box	1 × AA battery Quick start guide Warranty card
Weight0.2 lbPackage dimensions (Wx Dx H)4.25 x 1.81 x 5 ln;Package weight0.2 lb;Master carton quantity60Master carton dimensions (Wx Dx H)4.55 x 2.8.9 cm; 19.4.9 x 13.5.8 x 11.3.8 lnMaster carton weight1.54 lb; 6.1.4 lgCarton per Javer6Palet (Layers)7Products per Javer3.00Products per Javer3.00Products per Javer6.00Products per Javer6.00 <tr< td=""><td>Country of origin</td><td>Product of China</td></tr<>	Country of origin	Product of China
Package dimensions (W x D x H)4.25 x 1.81 x 5 in;Package dimensions (W x D x H)0.2 lb;Master carton quantity0.0Master carton dimensions (W x D x H)4.95 x 3.45 x 2.89 cm; 19.49 x 13.58 x 11.38 inMaster carton weight13.54 lb; 6.14 kgCarton per layer6Pallet (layers)7Products per layer6.0Products per layer6.0Products per layer5.0Products per layer6.0Products per layer6.0<	Dimensions (W x D x H)	4.3 x 2.4 x 1.5 in
Package weight0.2 lb;Package weight0.2 lb;Master carton quantity0Master carton dimensions (Wx Dx M)4.5 x 34.5 x 28.9 cm; 19.49 x 13.58 x 11.38 inMaster carton weight1.3 k lb; 6.14 kgCarton per layer6Pallet (layers)7Carton per pallet4.2Products per layer60Products per layer520Pallet weight6.17 lb;Pallet weight6.17 lb;	Weight	0.2 lb
Maser carton quantity60Maser carton dimensions (W x D x H)49.5 x 34.5 x 28.9 cm; 19.49 x 13.58 x 11.38 inMaster carton weight13.54 bis, 61.4 kgCarton per layer6Pallet (layers)7Carton per pallet42Products per layer560Products per pallet520Pallet (weight)61.79 bis;Pallet weight61.79 bis;	Package dimensions (W x D x H)	4.25 x 1.81 x 5 in;
Master carton dimensions (W x D x H)49.5 x 34.5 x 28.9 cm; 19.49 x 13.58 x 11.38 inMaster carton weight13.54 b; 6.14 kgCarton per layer6Pallet (layers)7Carton per pallet42Products per layer360Products per pallet520Pallet (layers)61.79 b;	Package weight	0.2 lb;
Mater carton weight     13.54 b; 6.14 kg       Carton per Javer     6       Pallet (Jayers)     7       Carton per pallet     42       Products per Javer     360       Products per pallet     520       Pallet (Jayers)     61/12	Master carton quantity	60
Carton per Javer6Pallet (layers)7Carton per pallet42Products per Javer360Products per pallet250Pallet weight61.79 lb;	Master carton dimensions (W x D x H)	49.5 x 34.5 x 28.9 cm; 19.49 x 13.58 x 11.38 in
Pallet (layers) 7   Pallet (layers) 7   Carton per pallet 42   Products per layer 360   Products per pallet 2520   Pallet weight 60.79 lb;	Master carton weight	13.54 lb; 6.14 kg
Carton per pallet     42       Products per layer     360       Products per pallet     250       Pallet weight     601.79 lb;	Carton per layer	6
Products per layer 360   Products per pallet 250   Pallet weight 61.79 lb;	Pallet (layers)	7
Products per pallet     2520       Pallet weight     601.79 lb;	Carton per pallet	42
Pallet weight 601.79 lb;	Products per layer	360
	Products per pallet	2520
Sustainable impact specifications 65% post-consumer recycled plastic; Packaging is recyclable 5	Pallet weight	601.79 lb;
	Sustainable impact specifications	65% post-consumer recycled plastic; Packaging is recyclable <sup>5</sup>

#### **Messaging Footnotes**

<sup>1</sup> Glass surface may affect functionality.

<sup>2</sup> The maximum capacity of the battery will naturally decrease with time and usage. <sup>3</sup> Compatible with Windows<sup>®</sup> 10 and higher, Chrome, and Mac<sup>®</sup>.

<sup>4</sup> Requires HP Accessory Center (HPAC) Software. HPAC available for free download in Microsoft Store or Apple Store.

<sup>5</sup> Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT® standard.

#### **Technical Specifications Footnotes**

<sup>1</sup> Battery life based on a 5-day week, 8 hours per day. The maximum capacity of the battery will naturally decrease with time and usage.

<sup>2</sup> Wireless range may vary base on user environmental and computer conditions.
<sup>3</sup> Requires HP Accessory Center (HPAC) Software. HPAC available for free download in Microsoft Store or Apple Store.

<sup>4</sup> HP includes a one-year (two-year) limited warranty with online support available 24 x 7. Consult the HP Customer Support Center for details, or go to www.hp.com/go/orderdocuments. Internet access required and not included. <sup>5</sup> 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic bags and plastic foam sheeting.

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein Should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Windows is a trademark of the Microsoft group of companies. Mac is a trademark of Apple Inc. Bluetooth\* is a registered trademark owned by Bluetooth\* Sin change herein Londer Longe herein. Windows is a trademark of the Microsoft group of companies. Mac is a trademark of Apple Inc. Bluetooth\* is a registered trademark owned by Bluetooth\* Sin change herein Longer Longer herein. August 2023