

IBM System Storage Product Guide



Today, information has become the lifeline for business sustainability and competitive advantage. Companies of all sizes—companies like yours—are searching for practical ways to create business value—to get their arms around information, correlate insights and to confidently predict outcomes and take action.

For CIOs, the information era poses unique challenges: how to cost-effectively store, archive and retrieve a virtual explosion of new information, how to protect and secure that information, meet compliance requirements and make that information accessible for business insight, where and when it's needed.

Without a dynamic information infrastructure, you may be facing higher operational costs and greater exposure to business risks IBM offers Information Infrastructure solutions to help you efficiently manage information growth, support compliance, reduce storage and archiving costs and enable continuous access to information in support of business requirements.

Learn more about IBM Information Infrastructure, including the full range of data storage solutions and companion software and services offerings at: **ibm.com**/information_infrastructure.

What's New?

IBM has invested billions of dollars to enhance System Storage™ products and services to better meet the information infrastructure needs of businesses like yours. This Product Guide features several new products:

- IBM System Storage TS7650 ProtecTIER® Data Deduplication Appliance
- IBM XIV® Storage System IBM System Storage
- SAN Volume Controller Entry Edition

- IBM System Storage N6060 series
- IBM Self-encrypting Storage and Key Management Solution (TKLM + LTO bundle)
- IBM Virtual Tape for Mainframe (VTFM)

The following products featured in this guide have been significantly enhanced:

- IBM System Storage DS8000® R4.2 Disk System with new options for drive-level disk encryption, Solid State storage, and 1 TB SATA drives
- IBM System Storage DS3000 Express
- IBM Comprehensive Data Protection Solution (TSM Fastback bundle)

		Capacity						
			Length		Compressed	Part		Part
Media tape	Highlights	Technology	(m/feet)	native	(typical)	number	Related products	numbei
Enterprise tape	Custom labeling and initialization services are available	3592 Tape Cartridge	825/2706	700 GB/1 TB	2.1/3 TB	23R9830	3592 Cleaning Cartridge	18P7535
	Server tracks help improve data integrity		825/2706	700 GB/1 TB*	2.1/3 TB	23R9831		
	 Cartridge intermix within libraries supports smooth migration, legacy systems Write Once Read Many (WORM) functionality 		610/2001 610/2001	300/500/640 GB 300/500/640 GB*	900 GB, 1.5/1.9 TB 900 GB, 1.5/1.9 TB	18P7534 18P7538		
	Machine type/model: 3599		246/810	60/100/128 GB	180/300/384 GB	24R0316		
			246/810	60/100/128 GB*	180/300/384 GB	24R0317		
		3590 Tape Cartridge	320/1050	10/20/30 GB	30/60/90 GB	05H4434 05H3302-J-less	3590 Cleaning Cartridge	05H4435
		3590E Tape Cartridge	634/2070	20/40/60 GB	60/120/180 GB	05H3188 08L6091-K-less		
.31" MP tape	 Unique midpoint load mechanism enables the system to locate data fast Durable cartridge case helps protect the tape Self-contained tape path helps improve reliability and extend tape life 	IBM Magstar™ MP Fast Access Linear Tape Cartridge	167/54	5 GB	15 GB	05H2462—B 08L6187—C	Cleaning Cartridge	05H2463
	 Almost instantaneous head/tape contact at load time speeds processing 	Magstar MP Fast Access Linear Tape Cartridge—XL	227/745	7 GB	21 GB	08L6663-C-XL		
LTO® tape	Media uses industry-leading, interchangeable LTO format	Ultrium 4	820/2690	800 GB	1600 GB	95P4436	Ultrium Cleaning Cartridge (all)	35L2086
	Cartridge is highest-capacity open standard tape cartridge available	Ultrium 4*	820/2690	800 GB	1600 GB	95P4450	Leader Pin Attachment Kit	23R7008
	Custom labeling is available	Ultrium 3	680/2231	400 GB	800 GB	24R1922	5-pack LTO Ultrium 4 tapes	08L9129
	 IBM-exclusive Statistical Analysis and Reporting System (SARS) statistics are stored in cartridge memory 	Ultrium 3* Ultrium 2	680/2231 609/1998	400 GB 200 GB	800 GB 400 GB	96P1203 08L9870	5-pack LTO Ultrium 3 tapes	95P4278 95P2020
	High durability helps support automation environments Machine type/model: 3589	Ultrium 1	609/1998	100 GB	200 GB	08L9120		331 2020
ptical artridge	 Suitable for storing data that can be overwritten and has a finite life span WORM media helps safeguard against data being erased or changed 	3996 Ultra Density Optical (UDO)	NA	30 GB 30 GB* 60 GB 60 GB*		23R2568 23R2567 59H5629 59H5628		
LTtape	Cartridge labelling area and labels are included VS1 Data Cartridge	VS1	563/1850	80 GB	160 GB	18P8923	Cleaning Cartridge - VS160	18P8924
VXA-2/3	Durable coating can resist oxidation and moisture	VXA 8 mm—X6	62/203	40 GB	80 GB	24R2134	Cleaning Cartridge—X-MEDIA	24R2138
	 Advanced archival and capacity properties are included Wide selection of compatible cartridge capacities support daily or full backups Media enclosure shutter locks out dirt and debris 	VXA 8 mm—X10 VXA 8 mm—X23	124/406 230/754	80 GB 160 GB	160 GB 320 GB	24R2136 24R2137		
4 mm Tape	Precision-matched tape reels and reel heights help support reliable operation	DDS-3	125/410	12 GB	24 GB	59H3465	Cleaning Cartridge—4 mm	21F8763
	 Proprietary hub lock helps reduce positioning errors to improve data integrity 	DDS-4	150/492	20 GB	40 GB	59H4456	4 mm format	23R5638
	 Improved media coating helps reduce head friction and provide cleaner operation 	DAT72	170/557	36 GB	72 GB	18P7912	-	
		DAT160	190/700	80 GB	160 GB	23R5635		
8 mm Tape	Special media formulation can help reduce drop-out to improve reliability Rigid magnetic stability specification helps increase coercivity to prolong shelf life and	AME	22/73	2.5 GB	5 GB	59H2671	Cleaning Cartridge—AME	35L1409
	improve read reliability		170/557	20 GB	40 GB	59H2678		
SLR (QIC) cartridges	Sophisticated mirror optics support BOT and EOT recognition Advanced modic binder process provides ultra clean energicing.	5.25" SLR5/QIC-4GB-DC	458/1500	4 GB	8 GB	59H3660	QIC 5.25" MLR/SLR Cleaning	35L0844
	 Advanced media-binder process provides ultra-clean operation Stringent wheel-pin perpendicularity specification enables smoother operation and 	5.25" MLR1/QIC-5010-DC	458/1500	16 GB	32 GB	59H4175	Cartridge (50 uses)	
	fewer re-reads	5.25" MLR3/QIC-5120-DC	462/1515	25 GB	50 GB	59H4128		
	 Proprietary belt design provides steady tension Special stippled base-plate design helps provide rigidity and a stable tape path 	5.25" SLR60	274/900	30 GB	60 GB	19P4209		
	Special supplied base-plate design helps provide rigidity and a stable tape path Cartridge cover shields against static discharge and airborne debris	5.25" SLR60	366/1200	37.5 GB	75 GB	24R0146		
	Durastat on drive rollers dissipates static	5.25" SLR100	47/156	5 GB	10 GB	35L0661		
	1-888-IBM-MEDIA ibm.com/storage/media	5.25" SLR100	457/1500	50 GB	100 GB	35L0968		
	* WORM version							

IBM Global Services for System Storage and Storage Networking

Data Storage Services from IBM can help you achieve business objectives by creating cost-effective data storage solutions that address the requirements of key business applications. These solutions can support multiple platforms and product vendors, helping to provide enhanced protection for critical business data, increased asset utilization, availability and reliability levels with reduced management costs.

IBM Global Services, as the leading data storage services provider, brings best practices from its thousands of customer engagements to work with your employees to integrate new solutions and technology with your business and IT needs. IBM offers a comprehensive portfolio of data storage services including:



- Analysis of enterprise information needs and environment
- Defined enterprise-wide storage strategies
- Quantified business benefits



- · Backup/restore and business continuity planning
- Performance and capacity planning
- Enterprise security architecture
- Storage migration and consolidation



- Networked storage architecture design
- SAN configuration and integration services
- Proof of concept, validation and certification
- Implement
- · Implementation, testing and migration services
- Education and training
- Installation, relocation, cabling and site preparation



- Business and application recovery services
- · Systems monitoring and management
- Managed Storage Services

IBM Global Services has a track record in offering services for open and mainframe storage, data migration, installation and support services for IBM and non-IBM environments. Some examples are:

- IBM Storage Strategy Assessment assists with the vision and strategy, assessment, architecture and conceptual designs to help customers optimize their storage infrastructure to new architectures.
- IBM Planning Services for 3494 Automated Tape Library and Virtual Tape Server can help improve tape storage management and gain control of an often expanding library of tapes.
- IBM Operational Support Services for Tivoli Storage Manager assists customers in the planning and implementation of storage management software.
- IBM Managed Storage Services offer scalable, cost-effective storage capacity, management and backup/restore services on a usage basis.

More information about IBM storage services can be found at **ibm.com**/services/ storage.

IBM Global Financing

Financing that supports throughout the technology life cycle

IBM Global Financing can help you accelerate your acquisitions of the latest technology and services, and help make your IT and information infrastructure projects more affordable by providing competitive, customized financing of your storage, server, PC, software and services investments. In addition, IBM Global Financing can also enable you to reduce technology obsolescence risk and handle planning for disposal and replacement of your IT hardware assets. With single-source, customized, competitive financing of the entire life cycle of your IT equipment, it is easier to manage both the up-front investment and the ongoing operating costs.

From acquisition through daily use, buyback and disposal, our end-to-end offerings form the foundation of a cohesive technology management strategy, improve asset management and increase your flexibility in small and large IT projects.

Offerings, rates, terms and availability may vary by country. Contact your local IBM representative or visit the Web at **ibm.com**/financing





ibm.com/storage

© Copyright IBM Corporation 2009

IBM Systems and Technology Group Route 100 Somers, NY 10589

Produced in the United States March 2009 All Rights Reserved

IBM, ibm.com, the IBM logo and System Storage are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries or both. If these and other IBM trademarked terms are marked on their first occurrence in this information with a trademark symbol (® or ™), these symbols indicate U.S. registered or common law trademarks owned by IBM at the time this information was published. Such trademarks may also be registered or common law trademarks in other countries. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at ibm.com/legal/copytrade.shtml

LTO and Ultrium are registered trademarks of International Business Machines Corporation, Hewlett-Packard and Certance.

Microsoft, SharePoint, SQL Server, Windows, Windows NT and Windows Server are trademarks of Microsoft Corporation in the United States, other countries or both.

Intel is a registered trademark of Intel Corporation in the United States, other countries or both.

Linux is a registered trademark of Linus Torvalds in the United States, other countries or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

The following are trademarks or registered trademarks of Network Appliance, Inc.: Data ONTAP, FilerView, FlexClone, FlexShare, FlexVol, LockVault, MultiStore, NearStore, Protection Manager, RAID-DP, SecureAdmin, SnapDrive, SnapLock, SnapManager, SnapMirror, SnapMover, SnapRestore, Snapshot, SnapValidator, SnapVault, SyncMirror and Virtual File Manager.

Other company, product and service names may be trademarks or service marks of others.

This document could include technical inaccuracies or typographical errors. IBM may not offer the products, services or features discussed in this document in other countries, and the product information may be subject to change without notice. Consult your local IBM business contact for information on the product or services available in your area. Any statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only. The information contained in this document is current as of the initial date of publication only and is subject to change without notice. All performance information was determined in a controlled environment. Actual results may vary. Performance information is provided "AS IS" and no warranties or guarantees are expressed or implied by IBM. Information concerning non-IBM products was obtained from the suppliers of their products, their published announcements or other publicly available sources. Questions on the capabilities of the non-IBM products should be addressed with the suppliers. IBM does not warrant that the information offered herein will meet your requirements or those of your distributors or customers. IBM provides this information "AS IS" without warranty. IBM disclaims all warranties, express or implied, including the implied warranties of noninfringement, merchantability and fitness for a particular purpose or noninfringement. IBM products are warranted according to the terms and conditions of the agreements under which they are provided.

TSO00364-USEN-30 G325-3369-30