

ZEBRATM SUPPLIES ZIPSHIPSM



Zebra Technologies International, LLC

333 Corporate Woods Parkway
Vernon Hills, IL 60061-3109 U.S.A

T: +1 847 793 2600

+1 800 423 0442

F: +1 847 913 8766

www.zebra.com



Effective April 5, 2012



Zebra™ Zip ShipSM Ships from Four Convenient Locations



Zebra™ Genuine Supplies

Zebra makes selling supplies easy.

- With more than 1,000 combinations of high-quality and reliable labels, tags, receipts, wristbands and ribbons we can meet the needs of most applications and budgets.
- We have over 500 ZipShip™ products in stock and available for immediate shipment, ensuring quick and low-cost delivery.
- We have a dedicated Supplies R&D team and lab with a combined 30 years of experience committed to developing unique solutions for customers, in addition to providing diagnostic testing services.
- Can't find the product you need in stock? We pride ourselves on our extensive manufacturing capabilities, including printing, converting and finishing.
- We are ISO 9001:2008 certified. We have standard consistent processes in place that we must follow to ensure the creation of finished products that deliver high customer satisfaction.
- Our knowledgeable sales team has been extensively trained which allows them to quickly recommend materials and solutions that are best suited for the end-user's application.
- We offer several inventory management options, so you don't have to manage inventory.
- The Printhead Protection Program allows end-users to get free printheads when they exclusively utilize genuine Zebra supplies, giving you an advantage over the competition.

Price List Updates

New Items

Tabletop RFID Labels (page 18)

Belt RFID Label
10015350

DogBone RFID Label
10015351

ShortDipole RFID Label
10015352

Tabletop Ribbon for 2746e Printer (page 51)

2000 Wax Ribbon
02000BK06030, 02000BK08330, 02000BK11030

3200 Wax/Resin Ribbon
03200BK06030, 03200BK08330, 03200BK11030

5095 Resin Ribbon
05095BK06030, 05095BK08330, 05095BK11030

Desktop Ribbon for GT800 Printer (page 58)

2000 Wax Ribbon
02000GT06430, 02000GT08430, 02000GT11030

5555 Wax/Resin Ribbon
05555GT06430, 05555GT08430, 05555GT11030

5095 Resin Ribbon
05095GT06430, 05095GT08430, 05095GT11030



Price List Updates

Discontinued Items

Specialty Printer Ribbon

2100 Wax Ribbon – For use with PAX4 printers

02100BK06090, 02100BK08090

Tabletop Ribbon for 2746e Printer

5319 Wax Ribbon

800010-002, 800010-003, 800010-004

3200 Wax/Resin Ribbon

800011-002, 800011-003, 800011-004

5095 Resin Ribbon

800005-004

Price List Updates

Part Number Changes

Tabletop – Z-Select 4000D (page 10)

Effective 12/5/11		
Label Size	New Part #	Old Part #
4" x 1.5"	10015348	800740-155

Tabletop – PolyPro 4000T (page 16)

Effective 12/5/11				
Label Size	New Part #	New Labels/Roll	Old Part #	Old Labels/Roll
2" x 1"	10014716	3,940	10011687	4,680
2.75" x 1.25"	10014717	3,210	66884	3,970
5" x 8"	10014715	560	18801	650

Desktop – Z-Select 4000D (page 20)

Effective 12/5/11		
Label Size	New Part #	Old Part #
2.25" x 0.75"	10015340	800262-075
2.25" x 1.25"	10015341	800262-125
2.25" x 2"	10015342	800262-205
2.25" x 4"	10015343	800262-405
4 x 1.25"	10015349	800264-125
4 x 3"	10015344	800264-305
4 x 4"	10015345	800264-405
4 x 5"	10015346	800264-505
4 x 6"	10015347	800264-605



Table of Contents

Printer Media Specifications.....6

Tabletop Media.....7-17

RFID Media.....18

Desktop Media.....19-25

Kiosk Media.....26

Mobile Media Reference Guide.....27-28

Mobile Media29-33

Wristband Media.....34-41

Ribbon Overview.....43-44

Tabletop Ribbons.....45-52

Desktop Ribbons.....53-58

Mobile Ribbons.....59

Specialty Ribbons.....60

Printer Media Specifications

		Core Size	Max OD	Min Label Width	Max Label Width	Min Label Caliper	Max Label Caliper
	Printer	Inches	Inches	Inches	Inches	Mil*	Mil*
Tabletop	S4M™	1/3	6/8	0.75	4.375	3	10
	Z4MPlus™	3	8	1	4.375	2.3	10
	Z6MPlus™	3	8	2	6.875	2.3	10
	ZM400™	3	8	1	4.375	2.3	10
	ZM600™	3	8	2	6.875	2.3	10
	105SL™	3	8	0.79	4.395	3	12
	110XiIIIPlus™ / 110Xi4™	3	8	0.79	4.375	3	12
	140XiIIIPlus™ / 140Xi4™	3	8	1.57	5.385	3	12
	170XiIIIPlus™ / 170Xi4™	3	8	2	6.975	3	12
	220XiIIIPlus™ / 220Xi4™	3	8	4.25	8.675	3	12
Desktop	LP/TLP 2824™ Series	1/1.5	5	1	2.235	3	7.5
	LP/TLP 2824 Plus™	1/1.5	5	1	2.360	3	7
	LP/TLP 2844™ Series	1/1.5	5	1	4.125	3	7.5
	TLP 3842™	1	5	1	4.125	3	7.5
	TLP 3844-Z™	1/1.5	5	1	4.125	3	7.5
	H 2824™	1/1.5	5	0.75	2.235	3	7.5
	G-Series™	1	5	0.75	4.125	3	7.5
	GT-Series™	1/1.5	5	0.75	4.090	3	7
Mobile	QL 220™ / QL 220 Plus™	0.75	2.2	0.63	1.890	2.5	6.5
	QL 320 Plus™	0.75	2.63	1.25	3.000	2.5	6.5
	QL 420 Plus™	0.75	2.63	2	4.000	2.5	6.5
	RW 220™	0.75	2.25	1	2.245	2	6.3
	RW 420™ / RW420™ Print Station	0.75	2.25	2	4.000	2	6.3
	P4T™	0.75	2.6	2	4.000	2	8.5
	EM220™	0.5	1.57	2.08	2.355	2	4
	PT403™ / PA403™	1	2.1	1.12	4.125	3	12
	PS 2122™	1.5	5	1	2.235	3	7.5
	MZ 220™	0.5/0.75	1.88	1	1.875	2	4
	MZ 320™	0.5/0.75	1.88	1	2.875	2	4
	QLn220™	0.75/1.375	2.2	0.63	1.900	2.3	5.5
	QLn320™	0.75/1.375	2.6	1	2.900	2.3	6.5
Specialty	R110Xi™ / R110Xi HF™	3	8	0.79	4.375	3	12
	R170Xi™	3	8	2	6.975	3	12
	R110PAX4™ / 110PAX4™	3	Varies	0.63	4.375	5.8	10
	R2844-Z™	1/1.5	5	1	4.125	3	7.5
	R4Mplus™	3	8	1	4.000	2.3	10
	RZ400	3	8	1	4.375	2.3	10
	RZ600	3	8	1	6.875	2.3	10
	170PAX4™	3	Varies	3	6.975	3	12
	RP4T™	1.375	2.6	2	4.000	2	8.5

*1 mil = 0.001 inches

Please contact your media specialist for specific questions regarding printers not listed above & check printer specifications before ordering supplies. Kiosk printers include TTP 1000, 2000, 7000, & 8000 Series, TTP 5250, KR203 and KR403.

Kiosk printers can accommodate various roll sizes and widths depending on the configuration.

Tabletop Printers

Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

3" ID 8" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
3	x	1	10000303*	5,500	6	26 lbs.
4	x	2	10003051*	2,760	4	26 lbs.
4	x	3	10000302*	2,000	4	26 lbs.
4	x	6	10000301*	1,000	4	26 lbs.
4	x	6.50	10000300*	900	4	26 lbs.

* Perforation between labels

Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

3" ID 8" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2	x	1	10000298*	5,500	8	26 lbs.
2.25	x	1.25	10000297*	4,350	8	27 lbs.
3	x	1	10000296*	5,500	6	26 lbs.
3	x	2	10000295*	2,750	6	26 lbs.
4	x	2	10012164	2,720	4	26 lbs.
4	x	2.50	10000294*	2,280	4	26 lbs.
4	x	3	10000293*	2,000	4	26 lbs.
4	x	4	10000292*	1,500	4	26 lbs.
4	x	6	10000290*	1,000	4	26 lbs.
4	x	6.50	10000289*	900	4	26 lbs.

* Perforation between labels

Tabletop Printers

Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

3" ID 8" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2	x	1	10000288*	5,500	10	31 lbs.
3	x	1	10000287*	5,500	6	27 lbs.
3	x	2	10000286*	2,750	6	27 lbs.
3	x	5	10010242*	1,200	6	27 lbs.
3.5	x	1	10010243*	5,470	4	27 lbs.
4	x	1	10010244*	5,470	4	27 lbs.
4	x	2	10000285*	2,750	4	23 lbs.
4	x	3	10000284*	2,000	4	27 lbs.
4	x	4	10000283*	1,500	4	27 lbs.
4	x	6	10000281*	1,000	4	27 lbs.
4	x	8	10014013*	750	4	27 lbs.
4	x	6.50	10000280*	900	4	27 lbs.

* Perforation between labels

Z-Perform 2000T Fanfolded

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

3" ID 8" OD

Size			Part #	Labels Per Roll	Roll/ Carton	Carton Weight
W	x	L				
4	x	6	10000299*	2,000	2	26 lbs.

* Perforation between labels

Tabletop Printers

Z-Perform 2000T Floodcoated

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

3" ID 8" OD

Size			Part #	Color	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L					
4	x	3	10006209-1*	Yel.	1,840	4	27 lbs.
4	x	3	10006209-3*	Pink	1,840	4	27 lbs.
4	x	6	10006208*	Blue	1,000	4	27 lbs.
4	x	6	10006208-1*	Yel.	1,000	4	27 lbs.
4	x	6	10006208-2*	Grn.	1,000	4	27 lbs.
4	x	6	10006208-4*	Org.	1,000	4	27 lbs.
4	x	6	10006208-5*	Red	1,000	4	27 lbs.
4	x	6	10006208-7*	Fl.Or.	1,000	4	27 lbs.
4	x	6.5	10005725-1*	Yel.	900	4	27 lbs.

* Perforation between labels Colors/PMS: Fluorescent Orange/804, Blue/ 290, Yellow/Pantone Yellow, Green/ 365, Red/ 185, Pink/1767, Orange/021

Z-Perform 1000T 7.5 mil Tag

A standard, thermal transfer, bright white, uncoated, 7.5 mil paper tag.

3" ID 8" OD

Size			Part #	Tags Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
3	x	1.25	67251**^	3,750	6	24 lbs.
3.25	x	5	65156*	1,030	6	26 lbs.

All tags contain side sensing notch. ^ Contains a left-centered hole and right vertical perforation *Perforation between tags

Size			Part #	Tags Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
3.25	x	7.38	67850*	860	4	25 lbs.

Fanfold and side sensing notch *Perforation between tags

Tabletop Printers

Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

3" ID 8" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
1.50	x	1	88686	5,120	14	29 lbs.
2	x	1	72275	4,620	8	22 lbs.
2.25	x	1.25	72276	3,770	8	24 lbs.
2.25	x	1.25	10002635*	3,770	8	16 lbs.
2.25	x	2.50	72277	1,980	8	24 lbs.
2.25	x	4	72278	1,260	8	25 lbs.
3	x	1	74569	5,120	6	24 lbs.
3	x	2	98958*	2,710	6	26 lbs.
3	x	3	84086	1,840	6	27 lbs.
3.50	x	1	75856	5,120	6	29 lbs.
4	x	1.50	10015348*	4,225	4	25 lbs.
4	x	2.50	72344	2,220	4	25 lbs.
4	x	3	800740-305*	2,238	4	25 lbs.
4	x	4	82801	1,400	4	25 lbs.
4	x	6	72345	950	4	25 lbs.
4	x	6	98959*	940	4	25 lbs.
4	x	6	83398**	720	6	28 lbs.
4	x	6.50	117945	870	4	25 lbs.

* Perforation between labels ** Fanfold

Tabletop Printers

Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive.

3" ID 8" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
1.50	x	1	72280	5,180	14	30 lbs.
2	x	1	72281	5,180	10	29 lbs.
2.25	x	0.75	800622-075*	7,995	4	14 lbs.
2.25	x	1.25	800622-125*	5,087	4	16 lbs.
2.25	x	1.25	72283	4,240	8	26 lbs.
2.25	x	2	800622-205*	3,292	4	16 lbs.
2.75	x	1.25	72282	4,240	8	31 lbs.
3	x	1	72284	5,180	6	25 lbs.
3	x	2	72285	2,740	6	27 lbs.
3	x	5	72993	1,100	6	28 lbs.
3	x	6	81397*	910	6	26 lbs.
3.25	x	2	72974	2,700	6	30 lbs.
3.25	x	5.50	72286	1,040	6	30 lbs.
3.25	x	5.831	72287	Cont.	6	35 lbs.
3.50	x	1	72288	5,180	6	28 lbs.
4	x	1	92071*	4,970	4	23 lbs.
4	x	1.50	800640-155*	4,225	4	23 lbs.
4	x	2	72289	2,740	4	23 lbs.
4	x	2.50	94681*	2,130	4	23 lbs.
4	x	2.50	72290	2,220	4	25 lbs.
4	x	3	72291	1,870	4	25 lbs.
4	x	3	800640-305*	2,238	4	25 lbs.
4	x	4	800640-405*	1,696	4	26 lbs.
4	x	4	72292	1,410	4	26 lbs.
4	x	5	800640-505*	1,365	4	26 lbs.
4	x	6	72353	950	4	26 lbs.
4	x	6	72295**	900	6	35 lbs.
4	x	6	72294*	950	4	26 lbs.
4	x	6.50	73298*	840	4	26 lbs.
4	x	6.50	72296	880	4	26 lbs.
4	x	8	98963*	690	4	26 lbs.
4	x	10	94682*	550	4	26 lbs.
4	x	13	72297	440	4	26 lbs.
4	x	5.592	98962	Cont.	4	26 lbs.
5	x	2.50	72298	2,220	4	32 lbs.
5	x	6	72301	960	4	32 lbs.
5	x	5.831	72300	Cont.	4	32 lbs.
6	x	4	72354	1,410	2	18 lbs.
6	x	4	73909*	1,360	2	18 lbs.
6	x	8	94683*	690	2	18 lbs.
6.50	x	4	72302	1,410	2	18 lbs.

* Perforation between labels ** Fanfold

Tabletop Printers

Z-Select 4000T Removable

A premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.

3" ID 8" OD

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
4	x	6	10005486*	1000	4	27 lbs.

* Perforation between labels

Z-Select 4000T 7.0 mil Tag

A premium, thermal transfer, bright white, coated, 7.0 mil, paper tag.

3" ID 8" OD

W	Size x	L	Part #	Tags Per Roll	Rolls/ Carton	Carton Weight
4	x	6	72352*	860	4	22 lbs.

Tags have side sensing notch. * Perforation between tags.

Z-Select 4000T All-Temp

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

3" ID 8" OD

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
2	x	5.50	72305	1,050	10	31 lbs.
2.75	x	1.25	72369	4,240	8	32 lbs.
3	x	5	97477*	1,100	6	26 lbs.
3.25	x	5.50	72371	1,040	6	32 lbs.
3.25	x	5.831	72372	Cont.	6	35 lbs.
3.50	x	1	72373	5,180	6	30 lbs.
4	x	2.50	72374	2,220	4	25 lbs.
4	x	6	72377	950	4	25 lbs.
4	x	6	72376*	950	4	25 lbs.
4	x	6.50	72378	880	4	25 lbs.
5	x	3	94684*	1,760	4	28 lbs.

* Perforation between labels

Tabletop Printers

Z-Ultimate 2000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL recognized for indoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD Max

Size			Part #	Across	Labels	Rolls/ Carton	Carton Weight
W	x	L			Per Roll		
0.25	x	0.25	10011965*	8	10,000	4	12 lbs.
0.25	x	0.25	10011966*	3	10,002	4	9 lbs.
0.3125	x	0.3125	10011967*	2	10,000	4	9 lbs.
0.375	x	0.375	10011968*	6	11,964	4	16 lbs.
0.5	x	0.25	10011969*	6	9,996	4	16 lbs.
0.5	x	0.4375	10011970*	4	10,000	4	12 lbs.
0.5	x	0.5	10011971*	4	10,000	4	12 lbs.
0.75	x	0.25	10011972*	4	10,000	4	20 lbs.
0.75	x	0.75	10011973*	4	10,000	4	20 lbs.
1	x	0.25	10011974*	3	10,002	4	20 lbs.
1	x	0.25	10011975*	1	16,456	4	9 lbs.
1	x	0.375	10011976*	3	10,002	4	20 lbs.
1	x	0.5	10008510*	1	9,420	4	9 lbs.
1	x	1	10011977*	3	16,455	4	20 lbs.
1.25	x	0.375	10011978*	1	12,342	4	20 lbs.
1.5	x	0.25	10011979*	3	10,002	4	30 lbs.
1.5	x	0.5	10008511*	1	9,420	4	9 lbs.
1.5	x	1	10011981*	1	5,486	4	9 lbs.
1.75	x	0.25	10011982*	1	16,456	4	9 lbs.
2	x	0.25	10011983*	1	16,456	4	12 lbs.
2	x	0.375	10011984*	2	10,000	4	30 lbs.
2	x	0.5	10011985*	1	9,874	4	12 lbs.
2	x	1	10008512*	1	5,570	4	12 lbs.
2.75	x	1.25	10008513*	1	4,270	4	16 lbs.
3	x	1	10011691*	1	5,240	4	20 lbs.
3	x	2	10008514*	1	2,950	4	20 lbs.
3	x	3	10008515*	1	1,880	4	20 lbs.
4	x	2	10002634*	1	2,950	4	32 lbs.
4	x	2.5	10008516*	1	2,240	4	32 lbs.
4	x	4	10008517*	1	1,520	4	32 lbs.
4	x	6	10008518*	1	960	4	32 lbs.

* Perforation between labels

M = Made to order
(1 case minimum order)

Tabletop Printers

Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
1.25	x	0.25	10011692	15,710	4	8 lbs.
1.50	x	0.50	10011693	9,420	4	8 lbs.
1.75	x	0.75	10011694*	7,160	4	8 lbs.
2	x	0.375	10011695	10,000	4	10 lbs.
2	x	0.50	10011696	10,000	4	10 lbs.
2	x	1	10011697*	5,570	4	10 lbs.
2	x	1.25	10011698	4,270	4	10 lbs.
2	x	4	10011699	1,570	4	10 lbs.
2.50	x	0.50	10011700*	10,020	4	16 lbs.
2.75	x	1.25	10011701	4,270	4	16 lbs.
3	x	1	10011702	5,240	4	20 lbs.
3	x	2	10011703*	2,950	4	20 lbs.
3	x	3	10011704	1,880	4	20 lbs.
3.50	x	1	10011705*	5,570	4	20 lbs.
4	x	2	18951*	2,950	4	32 lbs.
4	x	2.50	65816	2,240	4	32 lbs.
4	x	4	94688*	1,520	4	32 lbs.
4	x	6	66458	960	4	32 lbs.

* Perforation between labels

Z-Ultimate 4000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
1.50	x	0.50	10011706*	9,420	4	8 lbs.
2	x	0.50	10011707*	10,000	4	10 lbs.
2	x	1	10011708*	5,570	4	10 lbs.
3	x	1	10011709*	5,240	4	20 lbs.
3	x	3	10011710*	1,880	4	20 lbs.
4	x	2.50	10002627*	2,240	4	32 lbs.
4	x	6	10002628*	960	4	32 lbs.

* Perforation between labels

Tabletop Printers

Z-Ultimate 4000T High Tack White

A thermal transfer, pearl white, gloss polyester label with a high-tack permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2	x	1	10008521*	4,300	4	12 lbs.
3	x	2	10008520*	2,280	4	20 lbs.
4	x	6	10008519*	790	4	32 lbs.
3	x	1	10014014*	4,300	4	20 lbs.

* Perforation between labels

Z-Supreme 4000T White

A thermal transfer, white gloss, polyimide label with a high-temp permanent acrylic adhesive that provides resistance to temperatures up to 500°F. UL recognized for indoor use when used with compatible genuine Zebra resin ribbons. Recommended for use with 110XiIII Plus™/110Xi4™ 600 dpi printers.

3" ID 8" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
0.75	x	0.25	10008527*	12,740	1	2 lbs.
1.50	x	0.25	10008529*	12,740	1	2 lbs.

* Perforation between labels

Tabletop Printers

PolyPro 3000T

A thermal transfer, white, matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 200°F and 1-2 years outdoors.

3" ID 8" OD Max

Size			Part #	Labels		Rolls/ Carton	Carton Weight
W	x	L		Across	Per Roll		
0.75	x	0.25	10011986*	4	10,000	4	20 lbs.
1	x	0.5	10011987*	3	10,002	4	20 lbs.
1.75	x	0.75	10011988*	2	11,888	4	20 lbs.
2.75	x	1.25	10011989*	1	3,923	4	20 lbs.
3	x	1	10011990*	1	4,610	4	30 lbs.
3	x	2	10011991*	1	2,440	4	30 lbs.
3	x	5	10011992*	1	1,015	4	30 lbs.
3.25	x	2	10011993*	1	2,448	4	30 lbs.
4	x	2	10011994*	1	2,441	4	32 lbs.

* Perforation between labels

M = Made to order
(1 case minimum order)

PolyPro 4000T

A thermal transfer, white, Kimdura® matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

3" ID 8" OD

Size			Part #	Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2	x	1	10014716*	3,940	4	10 lbs.
2.75	x	1.25	10014717	3,210	4	28 lbs.
3	x	1	10011688	4,350	4	20 lbs.
3	x	2	10011689	2,230	4	20 lbs.
3.25	x	5.50	10011690	870	4	20 lbs.
4	x	3	10008531*	1,420	4	32 lbs.
4	x	6	10008530*	720	4	32 lbs.
5	x	8	10014715*	560	4	24 lbs.

* Perforation between labels

Tabletop Printers

8000T Tuff 7.0 mil Tag

Nursery Tags

A thermal transfer, white, V-Max polyolefin 7.5 mil tag that provides tear strength and outdoor use up to 1-2 years. Offers good durability and chemical resistance.

3" ID 8" OD

Size			Part #	Tags Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
1	x	10	69531*	1,920	4	21 lbs.

* Perforation between tags (4 across)

Z-Slip

A direct thermal, coated, ultra-smooth paper and polypropylene combination label with a permanent acrylic adhesive. Offers excellent adhesion to corrugated packaging. Recommended for a wide variety of applications, for example, enclosing packing slips, invoices, material safety data sheets, and certificates of conformance.

3" ID 8" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
6.625	x	6	10004425*	660	2	20 lbs.

* Perforation between labels

8000T Heat Seal Kit

A glossy, white, thermoplastic label with excellent smear/scratch resistance that can withstand heat up to 290° F. This kit comes with a specially matched resin ribbon that will survive 50 industrial bleach wash cycles.

3" ID 8" OD

Look for new, lower pricing on Part #s: 10002539, 10002540

W	x	L	Part #	Labels Per Roll	Rolls/ Kit
2.5	x	0.75	10002539*	4,800	3
3.25	x	1.125	10002540*	3,200	3

*Labels have perforations and sensing notches. Kit includes 3 rolls of labels and 1 resin ribbon roll

M = Made to order (1 kit minimum required)

RFID Printers

Belt RFID Label

A thermal transfer RFID paper label with a permanent acrylic adhesive. The EPC Class 1 Gen 2, 128 bit inlay operates at a frequency of 860-960 MHz. This item is suitable for apparel and supply chain management applications, including the labeling of corrugate and plastic packaging materials. These labels can also be used for close coupling. Pair with genuine Zebra 3200 wax/resin ribbon.

3" ID 8" OD

W	Size		Part #	Across	Labels		Rolls/ Carton	Carton Weight
	x	L			Per Roll			
2.874	x	.669	10015350	1	5,000		1	5 lbs.

DogBone RFID Label

A thermal transfer RFID paper label with a permanent acrylic adhesive. The EPC Class 1 Gen 2, 128 bit inlay operates at a frequency of 860-960 MHz. This item is suitable for apparel and supply chain management applications, including the labeling of glass, ceramic, and plastic packaging materials. Pair with genuine Zebra 3200 wax/resin ribbon.

3" ID 8" OD

W	Size		Part #	Across	Labels		Rolls/ Carton	Carton Weight
	x	L			Per Roll			
3.819	x	1.063	10015351	1	3,000		1	6 lbs.

ShortDipole RFID Label

A thermal transfer RFID paper label with a permanent acrylic adhesive. The EPC Class 1 Gen 2, 128 bit inlay operates at a frequency of 860-960 MHz. This item is suitable for apparel and supply chain management applications, including the labeling of corrugate, glass, ceramic, and plastic packaging materials. Pair with genuine Zebra 3200 wax/resin ribbon.

3" ID 8" OD

W	Size		Part #	Across	Labels		Rolls/ Carton	Carton Weight
	x	L			Per Roll			
3.819	x	.591	10015352	1	5,000		1	6 lbs.

Desktop Printers

Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2	x	1	10010028*	2,340	6	10 lbs.
3	x	2	10010029*	1,240	6	11 lbs.
3	x	3	10010030*	840	6	11 lbs.
4	x	2	10010031*	1,240	6	12 lbs.
4	x	2	10012163	1,240	6	12 lbs.
4	x	3	10010032*	840	6	12 lbs.
4	x	4	10010033*	640	6	12 lbs.
4	x	6	10010034*	430	6	12 lbs.

* Perforation between labels

Z-Perform 2000D Floodcoated

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

1" ID 5" OD

Size			Part #	Color	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L					
4	x	6	10010035*	Yel.	430	6	12 lbs.
4	x	6	10010035-1*	Grn.	430	6	12 lbs.
4	x	6	10010035-2*	Org.	430	6	12 lbs.
4	x	6	10010035-3*	Red	430	6	12 lbs.

* Perforation between labels Colors/PMS: Yellow/Pantone Yellow, Green/ 365, Red/185, Orange/021

Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2	x	1	10005850*	2,490	6	6 lbs.
4	x	2	10005851*	1,320	6	15 lbs.
4	x	3	10005852*	890	6	15 lbs.
4	x	6	10005853*	460	6	15 lbs.

* Perforation between labels

Desktop Printers

Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic-based adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -20° F.

1" ID 5" OD

W	Size x L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
1	x 3	10010036*	840	6	6 lbs.
1.20	x 0.85	10010037*	2,710	6	6 lbs.
1.25	x 1	10010038*	2,340	6	6 lbs.
2	x 1	10010039*	2,340	4	6 lbs.
2.25	x 0.50	10010040*	4,200	4	6 lbs.
2.25	x 0.75	10015340*	3,315	12	20 lbs.
2.25	x 1.25	10015341*	2,100	12	20 lbs.
2.25	x 2	10015342*	1,370	12	20 lbs.
2.25	x 2.50	10010041*	1,000	4	6 lbs.
2.25	x 3	10010042*	840	6	10 lbs.
2.25	x 4	10015343*	700	12	20 lbs.
3	x 1	10010043*	2,340	6	11 lbs.
3	x 2	10010044*	1,240	6	11 lbs.
4	x 1	10010045*	2,340	6	12 lbs.
4	x 1.25	10015349*	2,100	12	28 lbs.
4	x 1.50	10010046*	1,620	6	12 lbs.
4	x 2	10010047*	1,240	6	12 lbs.
4	x 2.50	10010048*	1,000	6	12 lbs.
4	x 3	10015344*	930	12	30 lbs.
4	x 4	10015345*	700	12	30 lbs.
4	x 5	10015346*	565	12	30 lbs.
4	x 6	10010049	475	6	15 lbs.
4	x 6	10015347*	475	12	30 lbs.

* Perforation between labels

W	Size x L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
2.38	x 1	10010050*	2,340	6	10 lbs.

Labels have a center vertical slit creating two 1.1875" x 1.00" labels. * Perforation between labels

W	Size x L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
2.25	x 1.25	10010051*	1,910	6	10 lbs.

Labels have a center vertical slit creating two 1.125" x 1.25" labels. * Perforation between labels

Z-Select 4000D Removable

A premium, direct thermal, bright white, coated, paper label with a removable acrylic adhesive.

1" ID 5" OD

W	Size x L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
2.375	x 1	10010052*	2,260	6	6 lbs.

Labels have a center vertical slit creating two 1.1875" x 1.00" labels. * Perforation between labels

Desktop Printers

Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
1.188	x	0.84	10009522*	3,000	6	6 lbs.
1.25	x	1	10009523*	2,580	6	10 lbs.
1.5	x	1	83258*	2,260	8	8 lbs.
2	x	1	83259*	2,260	8	8 lbs.
2.25	x	0.75	10009524*	3,320	6	10 lbs.
2.25	x	1.25	800272-125*	2,100	12	20 lbs.
2.25	x	2	10009525*	1370	6	11 lbs.
2.25	x	3	10009526*	930	6	12 lbs.
2.25	x	4	10009527*	700	6	13 lbs.
2.75	x	1.25	83260*	1,850	4	7 lbs.
3	x	1	10009528*	2,580	6	8 lbs.
3	x	2	10009529*	1,370	6	15 lbs.
4	x	1	83340*	2,260	4	8 lbs.
4	x	1.50	800274-155*	1,790	12	30 lbs.
4	x	2	10009530*	1,370	6	15 lbs.
4	x	3	800274-305*	930	12	30 lbs.
4	x	3	83262	810	4	9 lbs.
4	x	4	800274-405*	700	12	30 lbs.
4	x	5	10009531*	570	6	15 lbs.
4	x	6	82868	420	4	15 lbs.
4	x	6	800274-605*	475	12	30 lbs.
4	x	6.50	83257*	380	4	15 lbs.

* Perforation between labels

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2.38	x	1	10005848*	2,580	6	5 lbs.

Labels have a center vertical slit creating two 1.1875" x 1.00" labels.

* Perforation between labels

Z-Select 4000T Removable

A premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
4	x	6	10005849*	430	6	15 lbs.

* Perforation between labels

Desktop Printers

Z-Select 4000D 7.5 mil Tag

A premium, direct thermal, bright white, coated, 7.5 mil, paper tag.

1" ID 5" OD

W	Size		Part #	Tags Per Roll	Rolls/ Carton	Carton Weight
	x	L				
1.25	x	2.25	10010053 [^]	980	6	4 lbs.
2.25	x	1.37	10010054 [^]	1,600	6	6 lbs.
3.25	x	1.875	10010055*	1,170	6	8 lbs.
4	x	3	10010056*	730	4	10 lbs.

All tags have a sensing notch ^ Stringhole in tag * Perforation between labels

Z-Perform 1000D 2.4 mil Receipt

A standard, direct thermal, bright white, uncoated, 2.4 mil paper receipt. Ideal for applications requiring limited durability and maximum roll footage per roll.

1" ID 5" OD

W	x	L	Part #	Length	Rolls/ Carton	Carton Weight
2	x	Cont.	10010057	574'	6	18 lbs.
4	x	Cont.	10010058	574'	6	20 lbs.

Desktop Printers

Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID 5" OD

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
2	x	0.50	18943*	4,550	8	20 lbs.
2	x	1	17157*	2,530	12	18 lbs.
2	x	1.25	18940*	2,070	8	12 lbs.
3	x	1	18939*	2,530	8	12 lbs.
3	x	3	18942*	910	8	13 lbs.
4	x	2	18950*	1,340	4	15 lbs.
4	x	6	18941*	460	4	15 lbs.

* Perforation between labels

Z-Ultimate 4000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID 5" OD

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
2	x	1	10002629*	2,530	8	12 lbs.
3	x	1	10002630*	2530	6	12 lbs.
4	x	2	10002631*	1340	4	15 lbs.

* Perforation between labels

Desktop Printers

PolyPro 3000T

A thermal transfer, white, matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 200°F and 1-2 years outdoors.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
1.50	x	0.50	18930*	3,780	8	12 lbs.
2	x	0.50	18928*	3,780	8	12 lbs.
2	x	1	17154*	2,100	8	12 lbs.
2	x	1.25	18925*	1,720	8	12 lbs.
3	x	1	18924*	2,100	8	12 lbs.
3	x	3	18927*	760	8	13 lbs.
4	x	2	18932*	1,110	4	13 lbs.
4	x	2.50	18929*	900	4	13 lbs.
4	x	6	18926*	390	4	13 lbs.

* Perforation between labels

PolyPro 4000D

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2.25	x	1.25	10010063*	2,000	6	11 lbs.

* Perforation between labels

PolyPro 4000D

Jewelry Butterfly Label

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2.20	x	0.50	10010062^	4,400	6	11 lbs.

Labels are equipped with black mark sensing.

^ Label with flaps.

Desktop Printers

8000D Jewelry

Jewelry Butterfly Label

A direct thermal, white, polypropylene label with a permanent acrylic adhesive. Provides excellent resistance to ultra violet light.

1" ID 5" OD

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
2.20	x	0.50	10010064	3,510	6	11 lbs.
2.20	x	0.50	10010065^	3,510	6	12 lbs.

Labels are equipped with black mark sensing.

^ Label with flaps.

8000T Jewelry

Jewelry Butterfly Label

A thermal transfer, white, polypropylene label with a permanent acrylic adhesive. Offers excellent durability and chemical resistance.

1" ID 5" OD

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
2.20	x	0.50	10010066	3,510	6	12 lbs.
2.20	x	0.50	10010067^	3,510	6	12 lbs.

Labels are equipped with black mark sensing.

^ Label with flaps.

8000D Near-IR

Parcel Shipping Label

A premium, direct thermal, white, coated paper label featuring a permanent acrylic adhesive scannable in both visible and near infrared, and infrared ranges.

1" ID 5" OD

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
4	x	2.25	10010059*	1,060	4	10 lbs.
4	x	6	10010060*	410	4	10 lbs.
4	x	8	10010061*	310	4	10 lbs.

* Perforation between labels

8000T Cling White

A thermal transfer, cling vinyl material available in white or clear. Offers excellent adhesion to glass and plastics.

1" ID 5" OD

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
2	x	1.25	10003860*	1,410	8	10 lbs.

* Perforation between labels

Kiosk Printers

Z-Perform 1000D 3.5 mil Receipt (10 years archivability)

To be used with TTP 2000, 5250 & 7000 Series and KR203 & KR403

Size			Part #	Length	Rolls/ Carton	Carton Weight
W	x	L				
3.125	x	Cont.	10007008	645'	8	23 lbs.

To be used with TTP 5250 & 7000 Series

Size			Part #	Length	Rolls/ Carton	Carton Weight
W	x	L				
4.375	x	Cont.	10007009	645'	8	32 lbs.

To be used with TTP 8000 Series

Size			Part #	Length	Rolls/ Carton	Carton Weight
W	x	L				
8.5	x	Cont.	10007010	565'	4	28 lbs.

Mobile Media Reference Guide

This Reference Guide is designed to easily locate the proper media for your printer and application. Further details, including pricing, for each part number are available on the following pages.

	Description	Part #	Width	Length	EM 220	MZ 220	MZ 320	P4T	PA/PT	QL 220	QL 320	QL 420	RW220	RW420/ Print Station	QLn 220	QLn 320
Direct Thermal Labels	Z-Perform 1000D	LD-R7MU5P	2.00"	1.00"						X	O	O	X	O	X	O
	Z-Perform 1000D	LD-R2AL5B	2.00"	1.25"				O		X	O	O	X	O	X	O
	Z-Perform 1000D	LD-R7AO5B	2.00"	2.00"				O		X	O	O	X	O	X	O
	Z-Perform 1000D	LD-R7AM5R	2.00"	3.00"				O		X	O	O	X	O	X	O
	Z-Perform 1000D	LD-R3TU5B	2.90"	1.00"							X	O				X
	Z-Perform 1000D	LD-R2AQ5J	4.00"	2.00"				X				X				
	Z-Perform 1000D	LD-R6AO5B	4.00"	3.00"				X				X				
	Z-Perform 1000D	LD-R3AK5B	4.00"	4.00"				X				X				
	Z-Perform 1000D	LD-R4AW5B	4.00"	6.00"				X				X				
	Z-Perform 2000D	LD-R6AD5W	2.9375"	4.9375"				O			X	O				X
	Z-Perform 2000D	LD-R3AT5F	3.00"	1.75"				O			X	O				X
	Z-Select 4000D	800322-125	2.25"	1.25"					X							O
	Z-Select 4000D	800340-305	4.00"	3.00"					X							
	Z-Select 4000D	10001962	3.00"	2.00"				O			X	O		O		X
Thermal Transfer Labels	PolyPro 4000D	LD-R7BL5B	2.00"	1.00"						X	O	O	X	O	X	O
	PolyPro 4000D	LD-R2BF5W	2.00"	1.25"				O		X	O	O	X	O	X	O
	Z-Select 4000T	10008549	4.00"	6.00"				X								
	Z-Select 4000T	84932	3.00"	1.00"					X							
	Z-Ultimate 4000T	10010073	2.00"	1.25"				X								
	Z-Ultimate 4000T	10008551	3.00"	3.00"				X								
	PolyPro 4000T	10008424	4.00"	6.00"				X								
	PolyPro 4000T	82414	2.00"	1.00"					X							
	PolyPro 4000T	82413	3.00"	3.00"					X							

- X** Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications.
- O** Media compatible with your mobile printer, but the printer can support a larger width and/or outer diameter.

Mobile Media Reference Guide

This Reference Guide is designed to easily locate the proper media for your printer and application. Further details, including pricing, for each part number are available on the following pages.

	Description	Part #	Width	Length	EM 220	MZ 220	MZ 320	P4T	PA/PT	QL 220	QL 320	QL 420	RW220	RW420/ Print Station	QLn220	QLn320
Direct Thermal Receipts	Z-Perform 1000D 2.4 mil Receipt	10011041	2.00"	Cont.		X										
	Z-Perform 1000D 2.4 mil Receipt	10011042	3.00"	Cont.			X									
	Z-Perform 1000D 2.4 mil Receipt	10006224	4.00"	Cont.								X		X		
	Z-Perform 1000D 2.4 mil Receipt	800398-004	4.00"	Cont.					X							
	Z-Select 4000D 3.2 mil Receipt	LD-R2KH5B	2.00"	Cont.				O		X	O	O	X	O	X	O
	Z-Select 4000D 3.2 mil Receipt	LD-R3KX5B	3.00"	Cont.				O			X	O		O		X
	Z-Select 4000D 3.2 mil Receipt	LD-R4KN5B	4.00"	Cont.				X				X		X		
	Z-Select 4000D 3.2 mil Receipt	10011043	2.00"	Cont.		X										
	Z-Select 4000D 3.2 mil Receipt	10011044	3.00"	Cont.			X									
	Z-Select 4000D 3.2 mil Receipt	10008899	2.25"	Cont.	X											
Linerless*	8000D 3.2 mil High-Temp Receipt	10001965	4.00"	Cont.								X		X		
	8000D Linerless*	LD-R2LS5W	2.00"	Cont.						X	O	O			X	O
	8000D Linerless*	LD-R4LF5P	4.00"	Cont.								X				

* Requires linerless roller

X	Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications.
O	Media compatible with your mobile printer, but the printer can support a larger width and/or outer diameter.

Mobile Printers

Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

0.75" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2	x	1	LD-R7MU5P	350	36	7 lbs.
2	x	1.25	LD-R2AL5B	280	36	7 lbs.
2	x	2	LD-R7AO5B	185	36	7 lbs.
2	x	3	LD-R7AM5R	125	36	8 lbs.

Labels are equipped with black mark sensing

0.75" ID 2.5" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2.90	x	1	LD-R3TU5B	575	36	14 lbs.
4	x	2	LD-R2AQ5J*	300	36	23 lbs.
4	x	3	LD-R6AO5B*	200	36	23 lbs.
4	x	4	LD-R3AK5B*	160	36	24 lbs.
4	x	6	LD-R4AW5B*	105	36	24 lbs.

Labels are equipped with black mark sensing * Perforation between labels

Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

0.75" ID 2.5" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2.94	x	4.94	LD-R6AD5W	130	36	18 lbs.
3	x	1.75	LD-R3AT5F*	350	36	18 lbs.

Labels are equipped with black mark sensing * Perforation between labels

Mobile Printers

Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
2.25	x	1.25	800322-125*	260	12	2 lbs.
4	x	3	800340-305*	110	12	4 lbs.

* Perforation between labels

A premium, direct thermal, bright white, coated, paper label with a all-temp acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

0.75" ID 2.2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
3	x	2	10001962*	210	36	18 lbs.

* Perforation between labels

PolyPro 4000D

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

0.75" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
2	x	1	LD-R7BL5B	350	36	7 lbs.
2	x	1.25	LD-R2BF5W	280	36	8 lbs.

Labels are equipped with black mark sensing

Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

0.75" ID 2.6" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
4	x	6	10008549	110	16	17 lbs.

Labels are equipped with black mark sensing

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
3	x	1	84932	270	6	2 lbs.

Mobile Printers

Z-Ultimate 4000T

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

0.75" ID 2.6" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
2	x	1.25	10010073	520	12	12 lbs.
3	x	3	10008551	230	12	16 lbs.

Labels are equipped with black mark sensing

PolyPro 4000T

A thermal transfer, white, Kimdura® matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

0.75" ID 2.6" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
4	x	6	10008424	80	36	36 lbs.

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
2	x	1	82414	260	12	3 lbs.
3	x	3	82413	90	12	5 lbs.

Mobile Printers

Z-Perform 1000D 2.4 mil Receipt (10 years archivability)

A standard, direct thermal, bright white, uncoated, 2.4 mil paper receipt. Ideal for applications requiring limited durability and maximum roll footage per roll.

0.5" ID 1.8" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
2	x	Cont.	10011041	80'	36	9 lbs.
3	x	Cont.	10011042	80'	36	13 lbs.

0.75" ID 2.25" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
4	x	Cont.	10006224	100'	36	13 lbs.

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
4	x	Cont.	800398-004	75'	12	5 lbs.

Z-Select 4000D 3.2 mil Receipt (25 years archivability)

A premium, direct thermal, bright white, coated, 3.2 mil receipt paper that provides an ideal solution for applications requiring limited durability.

0.75" ID 2.25" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
2	x	Cont.	LD-R2KH5B	81'	36	9 lbs.
3	x	Cont.	LD-R3KX5B	81'	36	13 lbs.
4	x	Cont.	LD-R4KN5B	81'	36	13 lbs.

0.5" ID 1.8" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
2	x	Cont.	10011043	55'	36	9 lbs
3	x	Cont.	10011044	55'	36	13 lbs

0.50" ID 1.57" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
2.25	x	Cont.	10008899	40'	36	9 lbs

Mobile Printers

8000D 3.2 mil High-Temp Receipt (20 years archivability)

A direct thermal, white, coated, 3.2 mil receipt paper that provides temperature resistance up to 194° F; offers superior durability under fluorescent bulbs and partial UV exposure (through a window).

0.75" ID 2.25" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
4	x	Cont.	10001965	74'	36	7 lbs.

8000D Linerless

(requires linerless roller)

A premium, direct thermal, white linerless label featuring a permanent rubber adhesive.

0.75" ID 2.2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
2	x	Cont.	LD-R2LS5W	65'	36	16 lbs.

0.75" ID 2.5" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
4	x	Cont.	LD-R4LF5P	85'	20	23 lbs.

Wristband Media - Tabletop Printers

Z-Band Direct

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

3" ID 8" OD

Size			Color	Part #	Bands Per Roll	Rolls/ Carton	Carton Weight
W	x	L					
1	x	11	White	10005007	450	6	9 lbs.
1	x	11	Red	10003854-1	450	6	9 lbs.
1	x	11	Yellow	10003854-2	450	6	9 lbs.
1	x	11	Blue	10003854-3	450	6	9 lbs.
1	x	11	Green	10003854-4	450	6	9 lbs.
1	x	11	Pink	10003854-5	450	6	9 lbs.
1	x	11	Orange	10003854-6	450	6	9 lbs.
1.25	x	11	White	10006648	450	6	9 lbs.

All wristband part numbers are perforated

M = Made to order (2 carton minimum required)

Z-Band 4000 Wristband Kit

A latex-free, thermal transfer polyester wristband with a permanent acrylic adhesive for securement.

3" ID 8" OD

Size			Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight
W	x	L					
1	x	11	ZBAND1	White	530	3	6 lbs.

Z-Band 4000 Tabletop Wristband kit includes 3 rolls of perforated wristbands and 1 roll of the 5095 ribbon.

Z-Band QuickClip Kit

A latex-free, direct thermal, white, coated, polypropylene wristband with white clips for securement. Color clips also available.

3" ID 8" OD

Size			Part #	Bands Per Roll	Rolls/ Kit	Kit Weight
W	x	L				
1.1875	x	11	97890K^	550	6	11 lbs.

^(1.1875 x 11) Includes 6 rolls of perforated wristbands and 3,480 white clips. Color clips sold separately.

Color Clips for use with QuickClip Wristbands

Part #	Color	Clips Per Pack
97032-Red	Red	275
97032-Blue	Blue	275
97032-Green	Green	275
97032-Yellow	Yellow	275
97032-Pink	Pink	275
97032-Purple	Purple	275

Wristband Media - Tabletop Printers

Z-Band Fun

A direct thermal wristband for 1-day use at amusement parks, carnivals, sporting events, and concerts. It features an adhesive tab for securement.

3" ID 8" OD

W	Size		Color	Part #	Bands Per Roll	Rolls/ Carton	Carton Weight
	x	L					
1	x	10	Red	10012714-1	800	4	7 lbs.
1	x	10	Yellow	10012714-2	800	4	7 lbs.
1	x	10	Blue	10012714-3	800	4	7 lbs.
1	x	10	Green	10012714-4	800	4	7 lbs.
1	x	10	Pink	10012714-5	800	4	7 lbs.
1	x	10	Orange	10012714-6	800	4	7 lbs.
1	x	10	Purple	10012714-7	800	4	7 lbs.

All wristband part numbers are perforated

M = Made to order (Minimum Order – 4 rolls)

Z-Band Splash

A direct thermal wristband for multiple day use at waterparks, resorts and cruise lines. It features a durable, water resistant adhesive tab for securement that does not breakdown during multiple days of excessive water exposure.

3" ID 8" OD

W	Size		Color	Part #	Bands Per Roll	Rolls/ Carton	Carton Weight
	x	L					
1	x	10	Red	10012719-1	800	4	7 lbs.
1	x	10	Yellow	10012719-2	800	4	7 lbs.
1	x	10	Blue	10012719-3	800	4	7 lbs.
1	x	10	Green	10012719-4	800	4	7 lbs.
1	x	10	Pink	10012719-5	800	4	7 lbs.
1	x	10	Orange	10012719-6	800	4	7 lbs.
1	x	10	Purple	10012719-7	800	4	7 lbs.

All wristband part numbers are perforated

M = Made to order (Minimum Order – 4 rolls)

Wristband Media - Desktop Printers

Z-Band Direct

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

1" ID 5" OD

Size			Part #	Color	Bands Per Roll	Rolls/ Carton	Carton Weight
W	x	L					
0.75	x	11	10004448	White	200	6	4.8 lbs.
1	x	11	10005008	White	200	6	4.8 lbs.
1	x	11	10004443-1	Red	200	6	4.8 lbs.
1	x	11	10004443-2	Yellow	200	6	4.8 lbs.
1	x	11	10004443-3	Blue	200	6	4.8 lbs.
1	x	11	10004443-4	Green	200	6	4.8 lbs.
1	x	11	10004443-5	Pink	200	6	4.8 lbs.
1	x	11	10004443-6	Orange	200	6	4.8 lbs.
1.25	x	11	10006647	White	200	6	4.8 lbs.
1	x	6	10003853	White	350	6	4.8 lbs.
1	x	7	10003852	White	300	6	4.8 lbs.

All wristband part numbers are perforated

Soft Infant Z-Band Wristbands

A direct thermal white polypropylene wristband with soft nylon lining and a permanent acrylic adhesive for securement.

1" ID 4.8" OD

Size			Part #	Color	Bands Per Roll	Bands/ Carton	Carton Weight
W	x	L					
2	x	7	10007909	White	275	6	6 lbs.

Wristband Media - Desktop Printers

Z-Band 4000

A latex-free, thermal transfer polyester wristband with a permanent acrylic adhesive for securement.

1" ID 5" OD

W	Size x	L	Part #	Color	Bands Per Roll	Rolls/ Carton	Carton Weight
1	x	11	17158	White	300	4	2 lbs.

Z-Band QuickClip Kit

A latex-free, direct thermal, white, coated, polypropylene wristband with white clips for securement.

W	Size x	L	Part #	Bands Per Roll	Rolls/ Kit	Carton Weight
1.1875	x	11	97881K [^]	260	6	11 lbs.
1	x	7	10004821K*	390	6	10 lbs.

*(1 x 7) Includes 6 rolls of perforated wristbands and 2,610 white clips. Color clips sold separately.

[^](1.1875 x 11) Includes 6 rolls of perforated wristbands and 1,740 white clips. Color clips sold separately.

Color Clips for use with QuickClip Wristbands

Part #	Color	Clips Per Pack
97032-Red	Red	275
97032-Blue	Blue	275
97032-Green	Green	275
97032-Yellow	Yellow	275
97032-Pink	Pink	275
97032-Purple	Purple	275

Wristband Media - Desktop Printers

Z-Band Fun

A direct thermal wristband for 1-day use at amusement parks, carnivals, sporting events, and concerts. It features an adhesive tab for securement.

1" ID 5" OD

W	Size		Part #	Color	Bands Per Roll	Rolls/ Carton	Carton Weight
	x	L					
1	x	10	10012712-1	Red	350	4	4 lbs.
1	x	10	10012712-2	Yellow	350	4	4 lbs.
1	x	10	10012712-3	Blue	350	4	4 lbs.
1	x	10	10012712-4	Green	350	4	4 lbs.
1	x	10	10012712-5	Pink	350	4	4 lbs.
1	x	10	10012712-6	Orange	350	4	4 lbs.
1	x	10	10012712-7	Purple	350	4	4 lbs.

All wristband part numbers are perforated

Z-Band Splash

A direct thermal wristband for multiple day use at waterparks, resorts and cruise lines. It features a durable, water resistant adhesive tab for securement that does not breakdown during multiple days of excessive water exposure.

1" ID 5" OD

W	Size		Part #	Color	Bands Per Roll	Rolls/ Carton	Carton Weight
	x	L					
1	x	10	10012718-1	Red	350	4	4 lbs.
1	x	10	10012718-2	Yellow	350	4	4 lbs.
1	x	10	10012718-3	Blue	350	4	4 lbs.
1	x	10	10012718-4	Green	350	4	4 lbs.
1	x	10	10012718-5	Pink	350	4	4 lbs.
1	x	10	10012718-6	Orange	350	4	4 lbs.
1	x	10	10012718-7	Purple	350	4	4 lbs.

All wristband part numbers are perforated

Wristband Media - Desktop Printers

HC100 Wristband Cartridges

Z-Band Comfort Kit

Direct thermal, white, soft, flexible polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

W	Size		Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight
	x	L					
1	x	11	10010951K	White	300	6	6 lbs.
1.1875	x	11	10011963K	White	300	6	6 lbs.
0.75	x	11	10011952K	White	300	6	6 lbs.
1	x	11	10010951-1K	Red	300	6	6 lbs.
1	x	11	10010951-2K	Blue	300	6	6 lbs.
1	x	11	10010951-3K	Green	300	6	6 lbs.
1	x	11	10010951-4K	Purple	300	6	6 lbs.
1	x	11	10010951-5K	Pink	300	6	6 lbs.
1	x	11	10010951-6K	Orange	300	6	6 lbs.
1	x	11	10010951-7K	Yellow	300	6	6 lbs.
1	x	6	10011953K	White	600	6	6 lbs.
1	x	7	10011954K	White	500	6	6 lbs.

All wristband part numbers are perforated

Z-Band Direct Kit

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

W	Size		Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight
	x	L					
0.75	x	11	10006997K	White	200	6	6 lbs.
1	x	11	10006995K	White	200	6	6 lbs.
1	x	11	10006995-1K	Red	200	6	6 lbs.
1	x	11	10006995-2K	Blue	200	6	6 lbs.
1	x	11	10006995-3K	Green	200	6	6 lbs.
1	x	11	10006995-4K	Purple	200	6	6 lbs.
1	x	11	10006995-5K	Pink	200	6	6 lbs.
1	x	11	10006995-6K	Orange	200	6	6 lbs.
1	x	11	10006995-7K	Yellow	200	6	6 lbs.
1.1875	x	11	10006996K	White	200	6	6 lbs.
1	x	6	10006998K	White	350	6	6 lbs.
1	x	7	10006999K	White	300	6	6 lbs.

All wristband part numbers are perforated

Soft Infant Z-Band Direct Kit

A direct thermal white polypropylene wristband with soft nylon lining and a permanent acrylic adhesive for securement.

W	Size		Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight
	x	L					
1	x	7.6875	10007746K	White	275	6	5 lbs.

Wristband Media - Desktop Printers

HC100 Wristband Cartridges

Z-Band QuickClip Kit

A latex-free, direct thermal, white, coated, polypropylene wristband with white clips for securement.

Size			Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight
W	x	L					
1	x	7	10007003K^	White	390	3	6 lbs.
1.1875	x	11	10007000K*	White	260	4	6 lbs.

QuickClip - Must be ordered in carton quantities.

^(1 x 7) Includes 3 wristband cartridges and 1,450 white clips. Color clips sold separately.

*(1.1875 x 11) Includes 4 wristband cartridges and 1,160 white clips. Color clips sold separately.

Color Clips for use with QuickClip Wristbands

Part #	Color	Clips Per Pack
97032-Red	Red	275
97032-Blue	Blue	275
97032-Green	Green	275
97032-Yellow	Yellow	275
97032-Pink	Pink	275
97032-Purple	Purple	275

Wristband Media - Desktop Printers

HC100 Wristband Cartridges

Z-Band Fun Wristband Cartridge

A direct thermal wristband for 1-day use at amusement parks, carnivals, sporting events, and concerts. It features an adhesive tab for securement.

W	Size		Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight
	x	L					
1	x	10	10012713-1K	Red	350	6	6 lbs.
1	x	10	10012713-2K	Yellow	350	6	6 lbs.
1	x	10	10012713-3K	Blue	350	6	6 lbs.
1	x	10	10012713-4K	Green	350	6	6 lbs.
1	x	10	10012713-5K	Pink	350	6	6 lbs.
1	x	10	10012713-6K	Orange	350	6	6 lbs.
1	x	10	10012713-7K	Purple	350	6	6 lbs.

All wristband part numbers are perforated

Z-Band Splash Wristband Cartridge

A direct thermal wristband for multiple day use at waterparks, resorts and cruise lines. It features a durable, water resistant adhesive tab for securement that does not breakdown during multiple days of excessive water exposure.

W	Size		Part #	Color	Bands Per Roll	Rolls/ Kit	Carton Weight
	x	L					
1	x	10	10012717-1K	Red	350	6	6 lbs.
1	x	10	10012717-2K	Yellow	350	6	6 lbs.
1	x	10	10012717-3K	Blue	350	6	6 lbs.
1	x	10	10012717-4K	Green	350	6	6 lbs.
1	x	10	10012717-5K	Pink	350	6	6 lbs.
1	x	10	10012717-6K	Orange	350	6	6 lbs.
1	x	10	10012717-7K	Purple	350	6	6 lbs.

All wristband part numbers are perforated

Zebra Zip Ship Media



Zebra ZipShip Ribbons



Zebra has the right thermal transfer ribbon for your application. For standard printing on paper labels, Zebra's wax ribbons are unsurpassed for performance and value. When better image durability is required, Zebra's wax/resin ribbons will meet your requirements. For the ultimate in chemical and heat resistance, Zebra's resin ribbons can handle the harshest environments. You can be assured that when used together, our ribbons and labels will provide optimal performance with your Zebra printer and extend the life of your printhead.

Zebra's Zip Ship stocking program includes popular sizes of the most frequently ordered ribbons. Our policy is to ship orders within the next working business day. There is a minimum invoice amount of \$50 per shipment destination (waived for Sample Program orders). Products purchased in less than full inner carton quantities are subject to a \$75 broken carton charge, per destination. For custom sizes, please contact your Zebra Supplies Specialist.

Zebra Ribbons									
Wax		Wax/Resin			Resin				
2000 Standard		5555 Enhanced			5095 Performance				
2100 Enhanced		3200 Performance			5100 Premium				
5319 Performance		5586 Premium			Image Lock				
Ribbon	Material Compatibility	Darkness Setting		Print Speed		Smear/Scratch Resistance		Chemical Resistance	
		Low	High	Low	High	Low	High	Low	High
2000 Standard	Coated Paper	█	█	█	█	█	█	█	█
2100 Enhanced	Coated Paper	█	█	█	█	█	█	█	█
5319 Performance	Uncoated/Coated Paper	█	█	█	█	█	█	█	█
5555 Enhanced	Coated Paper/Matte Synthetics	█	█	█	█	█	█	█	█
3200 Performance	Coated Paper/Matte Synthetics	█	█	█	█	█	█	█	█
5586 Premium	Matte Synthetics	█	█	█	█	█	█	█	█
5095 Performance	Matte/Gloss Synthetics	█	█	█	█	█	█	█	█
5100 Premium	Gloss Synthetics	█	█	█	█	█	█	█	█

Zebra ZipShip Ribbons



Ribbon						
	Printer		Core Size		Max Length	
					Max Width	
Tabletop Printers	S4M™		1"	25.4mm	1476'	450m
	Z4MPlus™/ZM400™		1"	25.4mm	1476'	450m
	Z6MPlus™/ZM600™		1"	25.4mm	1476'	450m
	105SL™		1"	25.4mm	1476'	450m
	110XiIIPlus™ / 110Xi4™		1"	25.4mm	1476'	450m
	140XiIIPlus™ / 140Xi4™		1"	25.4mm	1476'	450m
	170XiIIPlus™ / 170Xi4™		1"	25.4mm	1476'	450m
	220XiIIPlus™ / 220Xi4™		1"	25.4mm	1476'	450m
Desktop Printers	LP 2824™ Series / LP 2824 Plus™		Direct Thermal		N/A	N/A
	TLP 2824™ Series / TLP 2824 Plus™		0.5"	12.7mm	244'	74m
	LP 2844™ Series		Direct Thermal		N/A	N/A
	TLP 2844™		0.5"	12.7mm	242'	74m
	TLP 2844-Z™		0.5"	12.7mm	244'	74m
	TLP 3842™		0.5"	12.7mm	244'	74m
	TLP 3844-Z™		0.5"	12.7mm	244'	74m
	H 2824-Z™		Direct Thermal		N/A	N/A
	G-Series™		0.5"	12.7mm	244'	74m
	GT-Series™		0.5"/1"	12.7mm/25.4mm	984'	300m
	QL™ Series / QL Plus™ Series		Direct Thermal		N/A	N/A
	MZ™ Series		Direct Thermal		N/A	N/A
Mobile Printers	RW™ Series / RW™420 Print Station		Direct Thermal		N/A	N/A
	EM220™		Direct Thermal		N/A	N/A
	PA403™		Direct Thermal		N/A	N/A
	PS 2122™		Direct Thermal		N/A	N/A
	PT400™ / PT403™		Snap-in ribbon cartridge		52'	16m
	P4T™		Snap-in ribbon cartridge		98.4'	30m
	QLn220™/QLn320™		Direct Thermal		N/A	N/A
Specialty Printers	R110Xi™		1"	25.4mm	1476'	450m
	R170Xi™		1"	25.4mm	1476'	450m
	R402™		0.5"	12.7mm	244'	74m
	R2844-Z™		0.5"	12.7mm	244'	74m
	R4Mplus™		1"	25.4mm	1476'	450m
	110PAX4™		1"	25.4mm	2995'	900m
	170PAX4™		1"	25.4mm	2995'	900m
	RP4T™		Snap-in ribbon cartridge		98.4'	30m

Tabletop Wax Ribbons

2000

A standard thermal transfer wax ink formulation for printing high-quality, durable bar codes on Zebra's coated paper label stock. This wax ribbon can print at speeds up to 12 inches per second.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	24	24	02000BK04045	12 lbs.
2.36"	60mm	24	24	02000BK06045	23 lbs.
3.27"	83mm	24	24	02000BK08345	24 lbs.
3.50"	89mm	24	24	02000BK08945	25 lbs.
4.02"	102mm	24	24	02000BK10245	26 lbs.
4.16"	106mm	24	24	02000BK10645	30 lbs.
4.33"	110mm	24	24	02000BK11045	32 lbs.
5.16"	131mm	24	24	02000BK13145	36 lbs.
6.16"	156mm	12	12	02000BK15645	25 lbs.
6.85"	174mm	12	12	02000BK17445	25 lbs.
8.66"	220mm	12	12	02000BK22045	30 lbs.

2100

A thermal transfer formulation that provides excellent print quality for normal and rotated bar codes on coated and uncoated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	12	12	02100BK04045	14 lbs.
2.36"	60mm	12	24	02100BK06045	23 lbs.
3.15"	80mm	12	12	02100BK08045	24 lbs.
3.50"	89mm	12	24	02100BK08945	25 lbs.
4.02"	102mm	24	24	02100BK10245	29 lbs.
4.16"	106mm	12	12	02100BK10645	30 lbs.
4.33"	110mm	24	24	02100BK11045	31 lbs.
5.16"	131mm	12	12	02100BK13145	17 lbs.
6.16"	156mm	12	12	02100BK15645	23 lbs.
6.85"	174mm	12	12	02100BK17445	25 lbs.
8.66"	220mm	12	12	02100BK22045	30 lbs.



SEE MORE.
DO MORE.

Tabletop Wax Ribbons

5319

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
0.94"	24mm	6	24	05319BK02445	14 lbs.
1.57"	40mm	6	24	05319BK04045	23 lbs.
2.36"	60mm	6	24	05319BK06045	24 lbs.
3.27"	83mm	6	24	05319BK08345	24 lbs.
3.50"	89mm	6	24	05319BK08945	28 lbs.
4.02"	102mm	6	24	05319BK10245	29 lbs.
4.33"	110mm	6	24	05319BK11045	30 lbs.
5.16"	131mm	6	24	05319BK13145	38 lbs.
6.06"	154mm	6	12	05319BK15445	25 lbs.
6.85"	174mm	6	12	05319BK17445	27 lbs.
8.66"	220mm	6	12	05319BK22045	30 lbs.

Zebra ZipShip Ribbons



Tabletop Wax/Resin Ribbons

5555

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	6	24	05555BK04045	16 lbs.
2.36"	60mm	6	24	05555BK06045	23 lbs.
3.27"	83mm	6	24	05555BK08345	22 lbs.
3.50"	89mm	6	24	05555BK08945	25 lbs.
4.33"	110mm	6	24	05555BK11045	27 lbs.
5.16"	131mm	6	24	05555BK13145	34 lbs.
6.06"	154mm	6	12	05555BK15445	25 lbs.
6.85"	174mm	6	12	05555BK17445	25 lbs.
8.66"	220mm	6	12	05555BK22045	27 lbs.

3200

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	6	24	03200BK04045	12 lbs.
2.36"	60mm	6	24	03200BK06045	23 lbs.
3.15"	80mm	6	24	03200BK08045	24 lbs.
3.50"	89mm	6	24	03200BK08945	25 lbs.
4.02"	102mm	6	24	03200BK10245	29 lbs.
4.33"	110mm	6	24	03200BK11045	32 lbs.
5.16"	131mm	6	24	03200BK13145	36 lbs.
6.16"	156mm	6	12	03200BK15645	23 lbs.
6.85"	174mm	6	12	03200BK17445	25lbs.
8.66"	220mm	6	12	03200BK22045	30 lbs.

Zebra ZipShip Ribbons



Tabletop Wax/Resin Ribbons

5586

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper, many Zebra synthetic materials, a variety of coated paper, and matte synthetics.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	6	24	05586BK04045	16 lbs.
2.36"	60mm	6	24	05586BK06045	23 lbs.
3.27"	83mm	6	24	05586BK08345	24 lbs.
3.50"	89mm	6	24	05586BK08945	25 lbs.
4.02"	102mm	6	24	05586BK10245	29 lbs.
4.33"	110mm	6	24	05586BK11045	27 lbs.
5.16"	131mm	6	24	05586BK13145	34 lbs.
6.06"	154mm	6	12	05586BK15445	25 lbs.
6.85"	174mm	6	12	05586BK17445	25 lbs.
8.66"	220mm	6	12	05586BK22045	27 lbs.

Tabletop Resin Ribbons

5095

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	6	24	05095BK04045	16 lbs.
2.36"	60mm	6	24	05095BK06045	23 lbs.
3.27"	83mm	6	24	05095BK08345	22 lbs.
3.50"	89mm	6	24	05095BK08945	25 lbs.
4.33"	110mm	6	24	05095BK11045	27 lbs.
5.16"	131mm	6	24	05095BK13145	34 lbs.
6.06"	154mm	6	12	05095BK15445	25 lbs.
6.85"	174mm	6	12	05095BK17445	25 lbs.
8.66"	220mm	6	12	05095BK22045	27 lbs.

5100

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	6	24	05100BK04045	16 lbs.
2.36"	60mm	6	24	05100BK06045	23 lbs.
3.27"	83mm	6	24	05100BK08345	22 lbs.
3.50"	89mm	6	24	05100BK08945	25 lbs.
4.33"	110mm	6	24	05100BK11045	27 lbs.
5.16"	131mm	6	24	05100BK13145	34 lbs.
6.06"	154mm	6	12	05100BK15445	25 lbs.
6.85"	174mm	6	12	05100BK17445	25 lbs.
8.66"	220mm	6	12	05100BK22045	27 lbs.

Tabletop Resin Ribbons

Image Lock Resin Ribbon

To be used with 8000T Image Lock or Z-Xtreme 5000T Media

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Length: 984 ft. (300m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	6	6	74775	10 lbs.
2.36"	60mm	6	6	74776	19 lbs.
3.15"	80mm	6	6	74777	20 lbs.
3.94"	100mm	6	6	74778	26 lbs.

M = Made to order (Delivery in 2 weeks)

Note: Minimum Order – 6 rolls

Nylon Resin Ribbon

To be used with 8000T Nylon Tags

A resin ribbon for printing high resolution and high quality images on fabrics, films, synthetics and satins that are formulated to withstand washing, dry cleaning, ironing, and steam.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	6	24	74935	23 lbs.
2.36"	60mm	6	24	74936	24 lbs.
3.15"	80mm	6	24	74937	24 lbs.

M = Made to order (Delivery in 2 weeks)

Note: Minimum Order – 48 rolls

Tabletop Ribbons

For use with 2746e printer

2000 Wax Ribbons

A standard thermal transfer wax ink formulation for printing high-quality, durable bar codes on Zebra's coated paper label stock. Prints at speeds up to 12 inches per second.

Length: 984 ft. (300m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.36"	60mm	24	24	02000BK06030	13 lbs.
3.27"	83mm	24	24	02000BK08330	16 lbs.
4.33"	110mm	24	24	02000BK11030	21 lbs.

3200 Wax/Resin Ribbons

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Length: 984 ft. (300m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.36"	60mm	6	24	03200BK06030	13 lbs.
3.27"	83mm	6	24	03200BK08330	16 lbs.
4.33"	110mm	6	24	03200BK11030	21 lbs.

5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 984 ft. (300m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.36"	60mm	6	24	05095BK06030	13 lbs.
3.27"	83mm	6	24	05095BK08330	16 lbs.
4.33"	110mm	6	24	05095BK11030	21 lbs.

Zebra ZipShip Ribbons



SEE MORE.
DO MORE.

Tabletop Color Wax Ribbons

5319

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels. Available in blue, red, maroon, and green.

Length: 1,476 ft. (450m) Core: 1" ID

Width (Inches)	Width (mm)	Quantity Per		Part #	Color/ PMS	Outer Box Weight
		Carton	Outer Box			
2.36"	60mm	6	24	05319BL06045	Blue 286C	23 lbs.
2.36"	60mm	6	24	05319RD06045	Red 186C	23 lbs.
2.36"	60mm	6	24	05319MN06045	Maroon 194C	23 lbs.
2.36"	60mm	6	24	05319GN06045	Green 340C	23 lbs.
4.33"	110mm	6	24	05319BL11045	Blue 286C	23 lbs.
4.33"	110mm	6	24	05319RD11045	Red 186C	23 lbs.
4.33"	110mm	6	24	05319MN11045	Maroon 194C	23 lbs.
4.33"	110mm	6	24	05319GN11045	Green 340C	23 lbs.

M = Made to order (Delivery in 2 weeks)

Zebra ZipShip Ribbons



Desktop Ribbons

For use with all 4" desktop printers

5319 Wax Ribbons

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	12	48	05319GS06407	2 lbs.
3.30"	84mm	12	48	05319GS08407	2.5 lbs.
4.33"	110mm	12	48	05319GS11007	3 lbs.

5555 Wax/Resin Ribbons

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	48	48	05555GS06407	2 lbs.
3.30"	84mm	48	48	05555GS08407	2.5 lbs.
4.33"	110mm	48	48	05555GS11007	2.5 lbs.

3200 Wax/Resin Ribbons

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	12	12	03200GS06407	2 lbs.
3.30"	84mm	12	12	03200GS08407	2.5 lbs.
4.33"	110mm	12	12	03200GS11007	3 lbs.

Zebra ZipShip Ribbons



Desktop Ribbons

For use with all 4" desktop printers

5586 Wax/Resin Ribbons

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper, many Zebra synthetic materials, a variety of coated paper, and matte synthetics.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	12	48	05586GS06407	2 lbs.
3.30"	84mm	12	48	05586GS08407	2.5 lbs.
4.33"	110mm	12	48	05586GS11007	2.5 lbs.

5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	12	48	05095GS06407	1.5 lbs.
3.30"	84mm	12	48	05095GS08407	2 lbs.
4.33"	110mm	12	48	05095GS11007	2.5 lbs.

5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	12	48	05100GS06407	3.5 lbs.
3.30"	84mm	12	48	05100GS08407	4.5 lbs.
4.33"	110mm	12	48	05100GS11007	5.5 lbs.

M = Made to order (Delivery in 2 weeks)

Zebra ZipShip Ribbons



Desktop Ribbons

Image Lock Resin Ribbon

To be used with 8000T Image Lock or Z-Xtreme 5000T Media

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Carton Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	12	48	74941	3 lbs.
3.30"	84mm	12	48	74942	3.5 lbs.
4.33"	110mm	12	48	74943	4.5 lbs.

M = Made to order (Delivery in 2 weeks) Note: Minimum Order – 12 rolls

Nylon Resin Ribbon

To be used with 8000T Nylon Tags

A resin ribbon for printing high resolution and high quality images on fabrics, films, synthetics and satins that are formulated to withstand washing, dry cleaning, ironing, and steam.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	48	48	74938	3 lbs.
2.36"	60mm	48	48	74939	3.5 lbs.
3.15"	80mm	48	48	74940	4.5 lbs.

M = Made to order (Delivery in 2 weeks) Note: Minimum Order – 48 rolls

Zebra ZipShip Ribbons



Desktop Ribbons

For use with TLP 2824 / TLP 2824 Plus printers

5319 Wax Ribbons

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" (12.7mm) ID

(Inches)	Width		Quantity Per		Part #	Outer Box Weight
	(Inches)	(mm)	Carton	Outer Box		
1.30"		33mm	12	48	800132-001	2.5 lbs.
2.25"		56.9mm	12	48	800132-002	3 lbs.

3200 Wax/Resin Ribbons

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" (12.7mm) ID

(Inches)	Width		Quantity Per		Part #	Outer Box Weight
	(Inches)	(mm)	Carton	Outer Box		
1.30"		33mm	12	12	800132-101	2.5 lbs.
2.25"		56.9mm	12	12	800132-102	3 lbs.

Zebra ZipShip Ribbons



Desktop Ribbons

For use with TLP 2824 / TLP 2824 Plus printers

5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" (12.7mm) ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.30"	33mm	12	48	800132-201	2.5 lbs.
2.25"	56.9mm	12	48	800132-202	3 lbs.

5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" (12.7mm) ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.30"	33mm	12	48	05100NT03307	2.5 lbs.
2.25"	56.9mm	12	48	05100NT05707	3 lbs.

NT: No Reflective Trailer

Zebra ZipShip Ribbons



Desktop Ribbons

For use with GT800 printer only

2000 Wax Ribbons

A standard thermal transfer wax ink formulation for printing high-quality, durable bar codes on Zebra's coated paper label stock. This wax ribbon can print at speeds up to 12 inches per second.

Length: 984 ft. (300m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.52"	64mm	24	24	02000GT06430	13 lbs.
3.31"	84mm	24	24	02000GT08430	16 lbs.
4.33"	110mm	24	24	02000GT11030	21 lbs.

5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 984 ft. (300m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.52"	64mm	24	24	05095GT06430	13 lbs.
3.31"	84mm	24	24	05095GT08430	16 lbs.
4.33"	110mm	24	24	05095GT11030	21 lbs.

5555 Wax/Resin Ribbons

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Length: 984 ft. (300m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.52"	64mm	24	24	05555GT06430	13 lbs.
3.31"	84mm	24	24	05555GT08430	16 lbs.
4.33"	110mm	24	24	05555GT11030	21 lbs.

Zebra ZipShip Ribbons



Mobile Ribbons

For use with the P4T and RP4T printers

5555 Wax/Resin Ribbon

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions.

Length: 98 ft. (30m)

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
4.33"	110mm	10	10	05555BK110D	2 lbs.

5095 Resin Ribbon

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 98 ft. (30m)

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
4.33"	110mm	10	10	05095BK110D	2 lbs.

For use with the PT 400 and PT 403 printers

5555 Wax/Resin Ribbon

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions.

Length: 52 ft. (16m)

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
4.33"	110mm	10	10	05555BK110C	1lb.

5100 Resin Ribbon

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 52 ft. (16m)

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
4.33"	110mm	10	10	05100BK110C	1lb.

Zebra ZipShip Ribbons



SEE MORE.
DO MORE.

Specialty Printer Ribbons

For use with PAX4 printers

2100 Wax Ribbons

A thermal transfer formulation that provides excellent print quality for normal and rotated bar codes on coated and uncoated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Length: 2,955 ft. (900m)

Width		Quantity Per		Part #	Outer Box Weight
(inches)	(mm)	Carton	Outer Box		
4.33"	110mm	6	6	02100BK11090	30 lbs.
5.16"	131mm	6	6	02100BK13190	33 lbs.
6.16"	156mm	6	6	02100BK15690	39 lbs.
6.85"	174mm	6	6	02100BK17490	44 lbs.

M = Made to order (Delivery in 2 weeks)

REDUCE TICKET FRAUD AND REVENUE LOSS



Looking to increase guest spending and reduce ticket fraud? Zebra's new economical, bar coded, print-on-demand wristbands enable cashless point of sale and access management.

- For one-day use: economical **Z-Band® Fun**.
- For multiple days or excessive water exposure: **Z-Band® Splash**

Discover the advantages. Visit www.zebra.com.

